

# FASHION

## SWITCH & SOCKET



## PRICE LIST

ONLY FOR VIET NAM



COME FROM THE GERMAN THAT HAS LONG CIVILIZATION AND FORERUNNER SCIENCE AND TECHNOLOGY

VIET - DUC UTEN JOIN STOCK COMPANY



1. 16A/250VAC -- 50/60Hz
2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu
3. Switch Structure: Seesaw - Toggle: 40,000 times
4. Working Temperature: -20°C~ 70°C.

# SWITCH & SOCKET

German Technology



# UTEN

Noble and elegant, a symbol of nobles;  
Fashionable and exquisite

**Color:**  
Black - Gold - Pearl White - Brown - Gray



# VPro



## VPRO GLASS



**VPRO GRAY GLASS**  
Size: 117 x 74 mm



**VPRO GOLD GLASS**  
Size: 117 x 74 mm



**VPRO-PM1**  
Single panel with  
bracket size S  
GRAY GLASS  
Size: 117 x 74 mm

110.000 VND



**VPRO-PM1**  
Single panel with  
bracket size S  
GOLD GLASS  
Size: 117 x 74 mm

110.000 VND



**VPRO-PM2**  
Double panel with  
bracket size 2S  
GRAY GLASS  
Size: 117 x 74 mm

110.000 VND



**VPRO-PM2**  
Double panel with  
bracket size 2S  
GOLD GLASS  
Size: 117 x 74 mm

110.000 VND




**VPRO-PM3**  
Triple panel with  
bracket size L  
GRAY GLASS  
Size: 117 x 74 mm

110.000 VND



**VPRO-PM3**  
Triple panel with  
bracket size L  
GOLD GLASS  
Size: 117 x 74 mm

110.000 VND



**VPRO-PM1.5**  
Middle panel with  
bracket size M  
GRAY GLASS  
Size: 117 x 74 mm

110.000 VND



**VPRO-PM1.5**  
Middle panel with  
bracket size M  
GOLD GLASS  
Size: 117 x 74 mm

110.000 VND



**VPRO BROWN GLASS**  
Size: 117 x 74 mm



**VPRO BLACK GLASS**  
Size: 117 x 74 mm



**VPRO-PM1**  
Single panel with  
bracket size S  
**BROWN GLASS**  
Size: 117 x 74 mm

110.000 VND




**VPRO-PM1**  
Single panel with  
bracket size S  
**BLACK GLASS**  
Size: 117 x 74 mm

110.000 VND




**VPRO-PM2**  
Double panel with  
bracket size 2S  
**BROWN GLASS**  
Size: 117 x 74 mm

110.000 VND



**VPRO-PM2**  
Double panel with  
bracket size 2S  
**BLACK GLASS**  
Size: 117 x 74 mm

110.000 VND




**VPRO-PM3**  
Triple panel with  
bracket size L  
**BROWN GLASS**  
Size: 117 x 74 mm

110.000 VND



**VPRO-PM3**  
Triple panel with  
bracket size L  
**BLACK GLASS**  
Size: 117 x 74 mm

110.000 VND




**VPRO-PM1.5**  
Middle panel with  
bracket size M  
**BROWN GLASS**  
Size: 117 x 74 mm

110.000 VND



**VPRO-PM1.5**  
Middle panel with  
bracket size M  
**BLACK GLASS**  
Size: 117 x 74 mm

110.000 VND



**VPRO PEARL WHITE GLASS**  
Size: 117 x 74 mm



**VPRO-C20-1**  
MCB single panel with  
bracket  
**PEARL WHITE GLASS**  
Size: 117 x 74 mm

134.000 VND



**VPRO-PM1**  
Single panel with  
bracket size S  
**PEARL WHITE GLASS**  
Size: 117 x 74 mm

110.000 VND



**VPRO-C20-2**  
MCB double panel with  
bracket  
**GRAY GLASS**  
Size: 117 x 74 mm

134.000 VND




**VPRO-PM2**  
Double panel with  
bracket size 2S  
**PEARL WHITE GLASS**  
Size: 117 x 74 mm

110.000 VND



**VPRO-C21**  
MCCB double panel with  
bracket  
**GOLD GLASS**  
Size: 117 x 74 mm

134.000 VND




**VPRO-PM3**  
Triple panel with  
bracket size L  
**PEARL WHITE GLASS**  
Size: 117 x 74 mm

110.000 VND



**VPRO-C20-1**  
MCB single panel with  
bracket  
**BROWN GLASS**  
Size: 117 x 74 mm

134.000 VND



**VPRO-PM1.5**  
Middle panel with  
bracket size M  
**PEARL WHITE GLASS**  
Size: 117 x 74 mm

110.000 VND



**VPRO-C21**  
MCCB double panel with  
bracket  
**BLACK GLASS**  
Size: 117 x 74 mm

134.000 VND

# UTEN

Noble and elegant, a symbol of nobles;  
Fashionable and exquisite

Color:  
Black - Gold - White - Brown - Gray



# VPro Max




## VPRO MAX ANTI-FINGERPRINT GLASS



**VPRO MAX GRAY GLASS**

Size: 117 x 74 mm




**VPRO MAX GOLD GLASS**

Size: 117 x 74 mm



**VPRO MAX-PM1 152.000 VND**

Single panel with  
bracket size S  
GRAY ANTI-FINGERPRINT GLASS  
Size: 117 x 74 mm



**VPRO MAX-PM1 152.000 VND**

Single panel with  
bracket size S  
GOLD ANTI-FINGERPRINT GLASS  
Size: 117 x 74 mm



**VPRO MAX-PM2 152.000 VND**

Double panel with  
bracket size 2S  
GRAY ANTI-FINGERPRINT GLASS  
Size: 117 x 74 mm



**VPRO MAX-PM2 152.000 VND**

Double panel with  
bracket size 2S  
GOLD ANTI-FINGERPRINT GLASS  
Size: 117 x 74 mm




**VPRO MAX-PM3 152.000 VND**

Triple panel with  
bracket size L  
GRAY ANTI-FINGERPRINT GLASS  
Size: 117 x 74 mm




**VPRO MAX-PM3 152.000 VND**

Triple panel with  
bracket size L  
GOLD ANTI-FINGERPRINT GLASS  
Size: 117 x 74 mm



**VPRO MAX-PM1.5 152.000 VND**

Middle panel with  
bracket size M  
GRAY ANTI-FINGERPRINT GLASS  
Size: 117 x 74 mm



**VPRO MAX-PM1.5 152.000 VND**

Middle panel with  
bracket size M  
GOLD ANTI-FINGERPRINT GLASS  
Size: 117 x 74 mm



**VPRO MAX BROWN GLASS**  
Size: 117 x 74 mm



**VPRO MAX BLACK GLASS**  
Size: 117 x 74 mm



**VPRO MAX-PM1** 152.000 VND  
Single panel with bracket size S  
BROWN ANTI-FINGERPRINT GLASS  
Size: 117 x 74 mm




**VPRO MAX-PM1** 152.000 VND  
Single panel with bracket size S  
BLACK ANTI-FINGERPRINT GLASS  
Size: 117 x 74 mm




**VPRO MAX-PM2** 152.000 VND  
Double panel with bracket size 2S  
BROWN ANTI-FINGERPRINT GLASS  
Size: 117 x 74 mm




**VPRO MAX-PM2** 152.000 VND  
Double panel with bracket size 2S  
BLACK ANTI-FINGERPRINT GLASS  
Size: 117 x 74 mm



**VPRO MAX-PM3** 152.000 VND  
Triple panel with bracket size L  
BROWN ANTI-FINGERPRINT GLASS  
Size: 117 x 74 mm



**VPRO MAX-PM3** 152.000 VND  
Triple panel with bracket size L  
BLACK ANTI-FINGERPRINT GLASS  
Size: 117 x 74 mm



**VPRO MAX-PM1.5** 152.000 VND  
Middle panel with bracket size M  
BROWN ANTI-FINGERPRINT GLASS  
Size: 117 x 74 mm




**VPRO MAX-PM1.5** 152.000 VND  
Middle panel with bracket size M  
BLACK ANTI-FINGERPRINT GLASS  
Size: 117 x 74 mm




**VPRO MAX WHITE GLASS**  
Size: 117 x 74 mm




**VPRO MAX-C20-1** 163.000 VND  
MCB single panel with bracket  
WHITE ANTI-FINGERPRINT GLASS  
Size: 117 x 74 mm




**VPRO MAX-PM1** 152.000 VND  
Single panel with bracket size S  
WHITE ANTI-FINGERPRINT GLASS  
Size: 117 x 74 mm




**VPRO MAX-C20-2** 163.000 VND  
MCB double panel with bracket  
GRAY ANTI-FINGERPRINT GLASS  
Size: 117 x 74 mm



**VPRO MAX-PM2** 152.000 VND  
Double panel with bracket size 2S  
WHITE ANTI-FINGERPRINT GLASS  
Size: 117 x 74 mm




**VPRO MAX-C21** 163.000 VND  
MCCB double panel with bracket  
GOLD ANTI-FINGERPRINT GLASS  
Size: 117 x 74 mm




**VPRO MAX-PM3** 152.000 VND  
Triple panel with bracket size L  
WHITE ANTI-FINGERPRINT GLASS  
Size: 117 x 74 mm



**VPRO MAX-C20-1** 163.000 VND  
MCB single panel with bracket  
BROWN ANTI-FINGERPRINT GLASS  
Size: 117 x 74 mm



**VPRO MAX-PM1.5** 152.000 VND  
Middle panel with bracket size M  
WHITE ANTI-FINGERPRINT GLASS  
Size: 117 x 74 mm




**VPRO MAX-C21** 163.000 VND  
MCCB double panel with bracket  
BLACK ANTI-FINGERPRINT GLASS  
Size: 117 x 74 mm

# UTEN

Noble and elegant, a symbol of nobles;  
Fashionable and exquisite



**V3.0**  
Series



**VPro**



**V3.0** Come from the German that has long civilization and forerunner science and technology



**V3.0PGK11-LS** 26.000 VND

16A/250V  
1 gang 1 way switch size L



**V3.0PGK11-MS** 24.000 VND

16A/250V  
1 gang 1 way switch size M



**V3.0PGK12-LS** 39.000 VND

16A/250V  
1 gang 2 way switch size L



**V3.0PGK12-MS** 38.000 VND

16A/250V  
1 gang 2 way switch size M



**V3.0PGK11-SS** 22.000 VND

16A/250V  
1 gang 1 way switch size S



**V3.0PGK31/L** 40.000 VND

16A/250V  
2 gang 1 way switch size M



**V3.0-PGK12-SS** 35.000 VND

16A/250V  
1 gang 2 way switch size S



**V3.0PGK32/L** 58.000 VND

16A/250V  
2 gang 2 way switch size M



**V3.0PGK20A** 96.000 VND

20A/250V  
20A switch size S



**V3.0PGK/M** 35.000 VND

Door bell switch Size M



**V3.0DLR** 39.000 VND

Red indicator light size S



**V3.0DPGK/D** 105.000 VND

Multi control switch size M



**V3.0PCZ13/N-MS** 62.000 VND

16A/250V  
3 pole multi function socket size M



**V3.0PCZ2/N-SS** 40.000 VND

16A/250V  
2 pole socket size S

**V3.0** Come from the German that has long civilization and forerunner science and technology



**V3.0-GZD** 72.000 VND  
16A/250V  
Schuko Socket



**V3.0PCZ2/N-2SS** 92.000 VND  
16A/250V  
Double 2 pole socket size L



**V3.0P-TVMS** 54.000 VND  
Impedane : 75Ω  
Insertion loss: VHF 3.5 dB UHF<5dB  
Flatness in Band ±1.0dB  
Tivi socket size M



**V3.0P-TVSS** 54.000 VND  
Impedane : 75Ω  
Insertion loss: VHF 3.5 dB UHF<5dB  
Flatness in Band ±1.0dB  
Tivi socket size S



**V3.0P-TELMS** 54.000 VND  
Temperature: -20°C~70°C  
Insulation resistance no less than 500MΩ  
Electrical specification EIA/TIAB  
Telephone socket size M



**V3.0P-TELSS** 54.000 VND  
Temperature: -20°C~70°C  
Insulation resistance no less than 500MΩ  
Electrical specification EIA/TIAB  
Telephone socket size S



**V3.0P-PCMS** 87.000 VND  
Temperature: -20°C~70°C  
Insulation resistance no less than 500MΩ  
Electrical specification EIA/TIAB  
Connecton mode T56BA, T568B  
Computer socket size M



**V3.0P-PCSS** 87.000 VND  
Temperature: -20°C~70°C  
Insulation resistance no less than 500MΩ  
Electrical specification EIA/TIAB  
Connecton mode T56BA, T568B  
Computer socket size S



**V3.0P-D/G** 108.000 VND  
500W/220V~  
only for filament lamp  
Dimmer control




**V3.0USB** 208.000 VND  
Current : 2.1A  
USB socket

**V3.0P-D/S** 108.000 VND  
Working voltage : 220V~ 50Hz  
Load Power: 25-300W  
Load can be connected : Ceiling fan  
Speed control



**V3.0-PM1** 21.000 VND  
Single panel with  
bracket size S



**V3.0-PM2** 21.000 VND  
Double panel with  
bracket size 2S



**V3.0PM1.5** 21.000 VND  
Middle panel with  
bracket size M



**V3.0PM3** 21.000 VND  
Triple panel with  
bracket size L



**V3.0-C20-1** 27.000 VND  
Single panel with  
bracket



**V3.0-C20-2** 27.000 VND  
Double panel with  
bracket



**V3.0-C21** 27.000 VND  
C21 panel with bracket



**118F/C** 99.000 VND  
Waterproof box




**BOX/Y2** 27.000 VND  
Concealed bottom box  
100mm X 65mm X 50mm

# UTEN


Noble and elegant, a symbol of nobles;  
Fashionable and exquisite



## V7.0



## V7.2



## VPro



## V7.0

Come from the German that has long civilization and forerunner science and technology



**V7.0PGK11-LS**  
16A/250V  
1 gang 1 way switch size L

46.000 VND



**V7.0PGK11-MS**  
16A/250V  
1 gang 1 way switch size M

46.000 VND



**V7.0PGK12-LS**  
16A/250V  
1 gang 2 way switch size L

58.000 VND



**V7.0PGK12-MS**  
16A/250V  
1 gang 2 way switch size M

58.000 VND



**V7.0PGK11-SS**  
16A/250V  
1 gang 1 way switch size S

46.000 VND



**V7.0PGK31/L**  
16A/250V  
2 gang 1 way switch size M

65.000 VND



**V7.0PGK12-SS**  
16A/250V  
1 gang 2 way switch size S

58.000 VND



**V7.0PGK32/L**  
16A/250V  
2 gang 2 way switch size M

81.000 VND



**V7.0PGK20A**  
20A/250V  
20A switch size S

122.000 VND



**V7.0PGK/M**  
16A/250V  
Door bell switch Size M

58.000 VND



**V7.0DLR**  
Red indicator light size S

62.000 VND



**V7.0PGK/D**  
Multi control switch size M

138.000 VND



**V7.0PCZ13/N-MS**  
16A/250V  
3 pole multi function socket size M

111.000 VND




**V7.0PCZ2/N-SS**  
16A/250V  
2 pole socket size S

92.000 VND

**V7.0** Come from the German that has long civilization and forerunner science and technology



**V7.0-GZD** 138.000 VND  
16A/250V  
Schuko Socket



**V7.0PCZ2/N-2SS** 212.000 VND  
16A/250V  
Double 2 pole socket size L



**V7.0P-TVMS** 93.000 VND  
Impedance : 75Ω  
Insertion loss: VHF 3.5 dB UHF<5dB  
Flatness in Band ±1.0dB  
Tivi socket size M



**V7.0P-TVSS** 93.000 VND  
Impedance : 75Ω  
Insertion loss: VHF 3.5 dB UHF<5dB  
Flatness in Band ±1.0dB  
Tivi socket size S



**V7.0P-TELMS** 115.000 VND  
Temperature: -20°C~70°C  
Insulation resistance no less than 500MΩ  
Electrical specification EIA/TIAB  
Telephone socket size M



**V7.0P-TELSS** 115.000 VND  
Temperature: -20°C~70°C  
Insulation resistance no less than 500MΩ  
Electrical specification EIA/TIAB  
Telephone socket size S



**V7.0P-PCMS** 142.000 VND  
Temperature: -20°C~70°C  
Insulation resistance no less than 500MΩ  
Electrical specification EIA/TIAB  
Connector mode T56BA, T568B  
Computer socket size M



**V7.0P-PCSS** 142.000 VND  
Temperature: -20°C~70°C  
Insulation resistance no less than 500MΩ  
Electrical specification EIA/TIAB  
Connector mode T56BA, T568B  
Computer socket size S



**V7.0P-D/G** 162.000 VND  
500W/220V~  
only for filament lamp  
Dimmer control



**V7.0USB** 241.000 VND  
Current : 2.1A  
USB socket

**V7.0P-D/S** 162.000 VND  
Working voltage : 220V~ 50Hz  
Load Power: 25-300W  
Load can be connected : Ceiling fan  
Speed control



**V7.0-PM1** 71.000 VND  
Single panel with bracket  
size S -Silver



**V7.0-PM1** 71.000 VND  
Single panel with bracket  
size S- Gold



**V7.0-PM2** 71.000 VND  
Double panel with bracket size  
2S- Silver



**V7.0-PM2** 71.000 VND  
Double panel with bracket  
size 2S-Gold



**V7.0-PM1.5** 71.000 VND  
Middle panel with bracket  
size M -Silver



**V7.0-PM1.5** 71.000 VND  
Middle panel with bracket  
size M -Gold



**V7.0-PM3** 71.000 VND  
Triple panel with bracket -Silver



**V7.0-C21** 83.000 VND  
C21 panel with bracket

**V7.0-PM3** 71.000 VND  
Triple panel with bracket -Gold



**V7.0-C20-1** 83.000 VND  
Single panel with bracket



**V7.0-C20-2** 83.000 VND  
Double panel with bracket

# UTEN

Noble and elegant, a symbol of nobles;  
Fashionable and exquisite



## V7.1

## V7.2



## VPro



### V7.1 Come from the German that has long civilization and forerunner science and technology



**V7.1PGK11-LS** 46.000 VND

16A/250V  
1 gang 1 way switch size L



**V7.1PGK11-MS** 46.000 VND

16A/250V  
1 gang 1 way switch size M



**V7.1PGK12-LS** 58.000 VND

16A/250V  
1 gang 1 way switch size L



**V7.1PGK12-MS** 58.000 VND

16A/250V  
1 gang 2 way switch size M



**V7.1PGK11-SS** 46.000 VND

16A/250V  
1 gang 1 way switch size S



**V7.1PGK31/L** 65.000 VND

16A/250V  
2 gang 1 way switch size M



**V7.1PGK12-SS** 58.000 VND

16A/250V  
1 gang 2 way switch size S



**V7.1PGK32/L** 81.000 VND

16A/250V  
2 gang 2 way switch size M



**V7.1PGK20A** 122.000 VND

20A/250V  
20A switch size S



**V7.1PGK/M** 58.000 VND

16A/250V  
Door bell switch Size M



**V7.1DLR** 62.000 VND

Red indicator light size S



**V7.1PGK/D** 138.000 VND

Multi control switch size M

**V7.1PGK/D** 138.000 VND

Multi control switch size S



**V7.1PCZ13/N-MS** 111.000 VND

16A/250V  
3 pole multi function socket size M



**V7.1PCZ2/N-SS** 92.000 VND

16A/250V  
2 pole socket size S

**V7.1** Come from the German that has long civilization and forerunner science and technology



**V7.1P-TVSS** 93.000 VND  
 Impedance : 75Ω  
 Insertion loss: VHF 3.5 dB UHF<5dB  
 Flatness in Band ±1.0dB  
 Tivi socket size S



**V7.1P-TELSS** 115.000 VND  
 Temperature: -20°C~70°C  
 Insulation resistance no less than 500MΩ  
 Electrical specification EIA/TIABI  
 Telephone socket size S



**V7.1P-PCSS** 142.000 VND  
 Temperature: -20°C~70°C  
 Insulation resistance no less than 500MΩ  
 Electrical specification EIA/TIABI  
 Connector mode T56BA,T568B  
 Computer socket size S



**V7.1USB** 241.000 VND  
 Current : 2.1A  
 USB socket



**V7.1P-D/G** 162.000 VND  
 500W/220V~  
 only for filament lamp  
 Dimmer control



**V7.1P-D/S** 162.000 VND  
 Working voltage : 220V~ 50Hz  
 Load Power: 25-300W  
 Load can be connected : Ceiling fan  
 Speed control



**V7.1-PM1** 39.000 VND  
 Single panel with bracket  
 size S - Coffee



**V7.2-PM1** 39.000 VND  
 Single panel with bracket  
 size S - Gray



**V7.1-PM1.5** 39.000 VND  
 Middle panel with bracket  
 size M - Coffee



**V7.2-PM1.5** 39.000 VND  
 Middle panel with bracket  
 size M - Gray



**V7.1-PM2** 39.000 VND  
 Double panel with bracket size  
 2S-Coffee



**V7.2-PM2** 39.000 VND  
 Double panel with bracket size  
 2S-Gray



**V7.1-PM3** 39.000 VND  
 Triple panel with bracket - Coffee



**V7.2-PM3** 39.000 VND  
 Triple panel with bracket - Gray



**V7.1C20-1** 50.000 VND  
 Single panel with bracket - Coffee



**V7.2-C20-1** 50.000 VND  
 Single panel with bracket - Gray



**V7.1C20-2** 50.000 VND  
 Double panel with bracket - Coffee



**V7.2C20-2** 50.000 VND  
 Double panel with bracket - Gray




**V7.1C21** 50.000 VND  
 C21 panel with bracket - Coffee



**V7.2C21** 50.000 VND  
 C21 panel with bracket - Gray

# UTEN

Noble and elegant, a symbol of nobles;  
Fashionable and exquisite



## V9.1

## VPro



### V9.1 Come from the German that has long civilization and forerunner science and technology



**V9.1PGK11-LS** 69.000 VND

16A/250V  
1 gang 1 way switch size L



**V9.1PGK11-MS** 69.000 VND

16A/250V  
1 gang 1 way switch size M



**V9.1PGK12-LS** 83.000 VND

16A/250V  
1 gang 2 way switch size L



**V9.1PGK12-MS** 83.000 VND

16A/250V  
1 gang 2 way switch size M



**V9.1PGK11-SS** 69.000 VND

16A/250V  
1 gang 1 way switch size S



**V9.1PGK31/L** 97.000 VND

16A/250V  
2 gang 1 way switch size M



**V9.1PGK12-SS** 83.000 VND

16A/250V  
1 gang 2 way switch size S



**V9.1PGK32/L** 120.000 VND

16A/250V  
2 gang 2 way switch size M



**V9.1PGK20A** 183.000 VND

20A/250V  
20A switch size S



**V9.1PGK/M** 86.000 VND

Door bell switch Size M



**V9.1DLR** 91.000 VND

Red indicator light size S



**V9.1PGK/D** 207.000 VND

Multi control switch size M



**V9.1PCZ13/N-MS** 166.000 VND

16A/250V  
3 pole multi function socket size M




**V9.1PCZ2/N-SS** 138.000 VND

16A/250V  
2 pole socket size S

**V9.1** Come from the German that has long civilization and forerunner science and technology



**V9.1-GZD** 204.000 VND  
16A/250V  
Schuko Socket



**V9.1PCZ2/N-2SS** 264.000 VND  
16A/250V  
Double 2 pole socket size L



**V9.1P-TVMS** 139.000 VND  
Impedance : 75Ω  
Insertion loss: VHF 3.5 dB UHF<5dB  
Flatness in Band ±1.0dB  
Tivi socket size M



**V9.1P-TVSS** 139.000 VND  
Impedance : 75Ω  
Insertion loss: VHF 3.5 dB UHF<5dB  
Flatness in Band ±1.0dB  
Tivi socket size S



**V9.1P-TELMS** 171.000 VND  
Temperature: -20°C~70°C  
Insulation resistance no less than 500MΩ  
Electrical specification EIA/TIABI  
Telephone socket size M



**V9.1P-TELSS** 171.000 VND  
Temperature: -20°C~70°C  
Insulation resistance no less than 500MΩ  
Electrical specification EIA/TIABI  
Telephone socket size S



**V9.1P-PCMS** 212.000 VND  
Temperature: -20°C~70°C  
Insulation resistance no less than 500MΩ  
Electrical specification EIA/TIABI  
Connecton mode T56BA, T568B  
Computer socket size M



**V9.1P-PCSS** 212.000 VND  
Temperature: -20°C~70°C  
Insulation resistance no less than 500MΩ  
Electrical specification EIA/TIABI  
Connecton mode T56BA, T568B  
Computer socket size S



**V9.1P-D/G** 243.000 VND  
500W/220V~  
only for filament lamp  
Dimmer control



**V9.1USB** 322.000 VND  
Current : 2.1A  
USB socket

**V9.1P-D/S** 243.000 VND  
Working voltage : 220V~ 50Hz  
Load Power: 25-300W  
Load can be connected : Ceiling fan  
Speed control



**V9.1-PM1** 61.000 VND  
Single panel with bracket  
size S - Silver



**V9.1-PM1** 61.000 VND  
Single panel with bracket  
size S - Gold



**V9.1-PM2** 61.000 VND  
Double panel with  
bracket - Silver



**V9.1-PM2** 61.000 VND  
Double panel with  
bracket - Gold



**V9.1-PM3** 61.000 VND  
Triple panel with  
bracket - Silver



**V9.1-PM3** 61.000 VND  
Triple panel with  
bracket - Gold



**V9.1-PM1.5** 61.000 VND  
Middle panel with  
bracket size M - Silver



**V9.1-C20-2** 72.000 VND  
Double panel with bracket - Gold

**V9.1-PM1.5** 61.000 VND  
Middle panel with  
bracket size M - Gold




**V9.1-C20-1** 72.000 VND  
Single panel with bracket - Gold



**V9.1-C21** 72.000 VND  
C21 panel with bracket - Gold

# UTEN

Noble and elegant, a symbol of nobles;  
Fashionable and exquisite



# V9.2 Series



## V9.2 Come from the German that has long civilization and forerunner science and technology



**V9.1+V9.2**  
Double panel with  
bracket size S



**V9.1+V9.2**  
Triple panel with  
bracket size L



**V9.2-PM1**  
Single panel with  
bracket size S

94.000 VND



**V9.2-C20-1**  
Single panel with bracket

105.000 VND



**V9.2-PM2**  
Double panel with  
bracket size 2S

94.000 VND



**V9.2-C20-2**  
Double panel with  
bracket

105.000 VND



**V9.2-PM1.5**  
Middle panel with  
bracket size M

94.000 VND



**V9.2-C21**  
C21 panel with bracket

105.000 VND



**V9.2-PM3**  
Triple panel with  
bracket size L

94.000 VND

# UTEN

Noble and elegant, a symbol of nobles;  
Fashionable and exquisite



## A8.1

## VPro



## A8

Come from the German that has long civilization and forerunner science and technology



**A8PGK11-LS**  
16A/250V  
1 gang 1 way switch size L

72.000 VND



**A8PGK11-MS**  
16A/250V  
1 gang 1 way switch size M

72.000 VND



**A8PGK12-LS**  
16A/250V  
1 gang 2 way switch size L

86.000 VND



**A8PGK12-MS**  
16A/250V  
1 gang 2 way switch size M

86.000 VND



**A8PGK11-SS**  
16A/250V  
1 gang 1 way switch size S

72.000 VND



**A8PGK31/L**  
16A/250V  
2 gang 1 way switch size M

109.000 VND



**A8PGK12-SS**  
16A/250V  
1 gang 2 way switch size S

86.000 VND



**A8PGK32/L**  
16A/250V  
2 gang 2 way switch size M

127.000 VND



**A8PGK20A**  
20A/250V  
20A switch size S

197.000 VND



**A8PGK/M**  
Door bell switch Size M

87.000 VND



**A8DLR**  
Red indicator light size S

105.000 VND



**A8PGK/D**  
Multi control switch size M

208.000 VND



**A8PCZ2/N-SS**  
16A/250V  
2 pole socket size S

156.000 VND



**A8PCZ13/N-MS**  
16A/250V  
3 pole multi function socket size M

186.000 VND

# A8

Come from the German that has long civilization and forerunner science and technology



**A8P-TVSS** 142.000 VND  
 Impedance : 75Ω  
 Insertion loss: VHF 3.5 dB UHF<5dB  
 Flatness in Band ±1.0dB  
 Tivi socket size S

**A8P-TVMS** 142.000 VND  
 Impedance : 75Ω  
 Insertion loss: VHF 3.5 dB UHF<5dB  
 Flatness in Band ±1.0dB  
 Tivi socket size M



**A8P-PCSS** 215.000 VND  
 Temperature: -20°C~70°C  
 Insulation resistance no less than 500MΩ  
 Electrical specification EIA/TIABI  
 Connector mode T56BA, T568B  
 Computer socket size S

**A8P-PCMS** 215.000 VND  
 Temperature: -20°C~70°C  
 Insulation resistance no less than 500MΩ  
 Electrical specification EIA/TIABI  
 Connector mode T56BA, T568B  
 Computer socket size M



**A8-D/G** 258.000 VND  
 500W/220V~  
 only for filament lamp  
 Dimmer control



**A8P-TELSS** 175.000 VND  
 Temperature: -20°C~70°C  
 Insulation resistance no less than 500MΩ  
 Electrical specification EIA/TIABI  
 Telephone socket size S

**A8P-TELEMS** 175.000 VND  
 Temperature: -20°C~70°C  
 Insulation resistance no less than 500MΩ  
 Electrical specification EIA/TIABI  
 Telephone socket size M



**A8USB** 307.000 VND  
 Current : 2.1A  
 USB socket



**A8-D/S** 258.000 VND  
 Working voltage : 220V~ 50Hz  
 Load Power: 25-300W  
 Load can be connected : Ceiling fan  
 Speed control



**A8.1-PM1** 39.000 VND  
 Single panel with  
 bracket size S



**A8.1-PM2** 39.000 VND  
 Double panel with  
 bracket size 2S



**A8.1-PM1.5** 39.000 VND  
 Middle panel with  
 bracket size M



**A8.1-PM3** 39.000 VND  
 Triple panel with  
 bracket size L



**A8.1-C20-1** 50.000 VND  
 Single panel with  
 bracket



**A8.1-C20-2** 50.000 VND  
 Double panel with  
 bracket



**A8.1-C21** 50.000 VND  
 C21 panel with bracket



**118F/C** 99.000 VND  
 Waterproof box



**BOX/Y2** 27.000 VND  
 Concealed bottom box  
 100mm X 65mm X 50mm

# UTEN

Noble and elegant, a symbol of nobles;  
Fashionable and exquisite



# Q120B Series



## Q120B

Come from the German that has long civilization and forerunner science and technology



### Q120B-K11

22.000 VND


16A/250V  
1 gang 1 way switch size S



### Q120B-K21

48.000 VND

16A/250V  
2 gang 1 way switch size M



### Q120B-K12

35.000 VND


16A/250V  
1 gang 2 way switch size S



### Q120B-K22

69.000 VND

16A/250V  
2 gang 2 way switch size M



### Q120B-K11D

98.000 VND

16A/250V  
1 gang 1 way switch with LED size S



### Q120B-KMLD

105.000 VND

16A/250V  
Door bell switch with LED size S



### Q120B-K12D

120.000 VND

16A/250V  
1 gang 2 way switch with LED size S



### Q120B-KML

39.000 VND

16A/250V  
Door bell switch size S



### Q120B-KCL

116.000 VND

16A/250V  
intermediate switch  
Curtain switch size S



### Q120B-K13

127.000 VND

Intermediate switch size S



### Q120B-K20A

132.000 VND

20A switch size size S



### Q120B-Z13/N

74.000 VND

16A/250V  
3 pole multi function socket



### Q120B-Z12

50.000 VND

16A/250V  
2 pole socket size S

# Q120B

Come from the German that has long civilization and forerunner science and technology



**Q120B-USZ1** 55.000 VND  
15A/250V  
Single US socket size S



**Q120B-USZ2** 121.000 VND  
16A/250V  
Double US socket size L



**Q120B-D/S** 130.000 VND  
250W/220V  
Speed control size S



**Q120B-2USB** 248.000 VND  
2.1A/5V  
Double USB



**Q120B-DH** 237.000 VND  
100W/220V  
Motion sensor



**Q120B-TV** 64.000 VND  
Impedance:75Ω  
Insertion loss: VHF3.5dB UHF<5dB  
Flatness in Band±1.0dB  
Tivi socket



**Q120B-WTV** 66.000 VND  
Statellite socket



**Q120B-TEL** 64.000 VND  
Insulation resistance: no less than 500MΩ  
Electrical Specification: EIA/TIABI  
Temperature:-20°C~70°C  
Humidity:95%  
Telephone socket



**Q120B-PC** 104.000 VND  
Insulation resistance: no less than 500MΩ  
Electrical Specification: EIA/TIABI  
Connection mode: T568A,T568B  
Computer socket



**Q120B-DLR** 69.000 VND  
Red indicator light



**Q120B-MD**  
Bland board size S



**Q120B-MLKY** 143.000 VND  
10W/220V  
Electronic door bell



**Q120B-K45A** 231.000 VND  
45A/25V  
45A switch



**Q120B-PM1** 26.000 VND  
Single panel with  
bracket size S



**Q120B-PM2** 26.000 VND  
Double panel with  
bracket size 2S



**Q120B-PM3** 26.000 VND  
Triple panel with bracket size L



**Q120B-C20-1** 32.000 VND  
Single panel with bracket



**Q120B-C21** 32.000 VND  
C21 panel with bracket



**Q120D-PM3** 77.000 VND  
Triple panel with bracket size L

# UTEN

Noble and elegant, a symbol of nobles;  
Fashionable and exquisite



# Q120

Series



## Q120

Come from the German that has long civilization and forerunner science and technology



**Q120-K11**  
16A/250V  
1 gang 1 way switch size S

33.000 VND



**Q120-K12**  
16A/250V  
1 gang 2 way switch size S

46.000 VND



**Q120-K21**  
16A/250V  
2 gang 1 way switch size M

76.000 VND



**Q120-K22**  
16A/250V  
2 gang 2 way switch size M

87.000 VND



**Q120-K11D**  
16A/250V  
1 gang 1 way switch with LED size S

105.000 VND



**Q120-K12D**  
16A/250V  
1 gang 2 way switch with LED size S

127.000 VND




**Q120-KMLD**  
16A/250V  
Door bell switch with LED size S

114.000 VND



**Q120-KML**  
16A/250V  
Door bell switch size S

207.000 VND



**Q120-KCL**  
16A/250V  
intermediate switch  
Curtain switch size S

207.000 VND



**Q120-K13**  
Intermediate switch size S

207.000 VND



**Q120-K20A**  
20A switch size S

204.000 VND



**Q120-Z13/N**  
16A/250V  
3 pole multi function socket

163.000 VND



**Q120-Z12**  
16A/250V  
2 pole socket size S


136.000 VND

# Q120

Come from the German that has long civilization and forerunner science and technology



**Q120-USZ1** 149.000 VND  
15A/250V  
Single US socket size S



**Q120-USZ2** 259.000 VND  
16A/250V  
Double US socket size L



**Q120-D/S** 223.000 VND  
250W/220V  
Speed control size S



**Q120-2USB** 252.000 VND  
2.1A/5V  
Double USB



**Q120-D/G** 223.000 VND  
300W/220V  
Light dimmer



**Q120-TV** 136.000 VND  
Impedance:75Ω  
Insertion loss: VHF3.5dB UHF<5dB  
Flatness in Band±1.0dB  
Tivi socket



**Q120-DH** 380.000 VND  
100W/220V  
Motion sensor



**Q120-WTV** 160.000 VND  
Statellite socket

**Q120-TEL** 167.000 VND  
Insulation resistance: no less than 500MΩ  
Electrical Specification: EIA/TIABI  
Temperature:-20°C~70°C  
Humidity:95%  
Telephone socket



**Q120-PC** 206.000 VND  
Insulation resistance: no less than 500MΩ  
Electrical Specification: EIA/TIABI  
Connection mode: T568A,T568B  
Computer socket




**Q120-DLR** 69.000 VND  
Red indicator light size S



**Q120-MD**  
Bland board size S



**Q120-MLKY** 270.000 VND  
10W/220V  
Electronic door bell



**Q120-K45A** 248.000 VND  
45A/25V  
45A switch



**Q120-C-PM3** 77.000 VND  
Triple PC panel with stand- copper



**Q120-C-PM3** 77.000 VND  
Triple PC panel with stand- gold



**Q120-D-PM3** 77.000 VND  
Triple PC panel with stand- copper



**Q120-D-PM3** 77.000 VND  
Triple PC panel



**Q120D-C20-1** 88.000 VND  
Single panel with bracket



**Q120D-C20-2** 88.000 VND  
Double panel with bracket



**Q120D-C21** 88.000 VND  
C21 panel with bracket



**Q120** Come from the German that has long civilization and forerunner science and technology




**Q120E-PM3** 259.000 VND  
Triple glass panel with stand- white



**Q120E-PM3** 259.000 VND  
Triple glass panel with stand- gold



**Q120E-PM3** 259.000 VND  
Triple glass panel with stand- Wine




**Q120E-PM3** 259.000 VND  
Triple glass panel with stand- Clouds




**Q120E-PM3** 259.000 VND  
Triple glass panel with stand- Brown




**Q120E-PM3** 259.000 VND  
Triple glass panel with stand- Black



**Q120E-C20-1** 270.000 VND  
Single glass panel with bracket



**Q120E-C20-2** 270.000 VND  
Double glass panel with bracket



**Q120E-C21** 270.000 VND  
C21 glass panel with bracket



# UTEN

Noble and elegant, a symbol of nobles;  
Fashionable and exquisite



# V4.0 Series



## V4.0

Come from the German that has long civilization and forerunner science and technology



**V4.0GK11** 49.000 VND  
1 Gang 1 Way Switch



**V4.0GK12** 57.000 VND  
1 Gang 2 Way Switch  
1. 16A/250VAC -- 50/60Hz  
2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu  
3. Switch Structure: Seesaw - Toggle: 40,000 times  
4. Working Temperature: -20°C - 70°C  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm




**V4.0GK31** 95.000 VND  
3 Gang 1 Way Switch



**V4.0GK32** 115.000 VND  
3 Gang 2 Way Switch  
1. 16A/250VAC -- 50/60Hz  
2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu  
3. Switch Structure: Seesaw - Toggle: 40,000 times  
4. Working Temperature: -20°C - 70°C  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**V4.0GK11Z13/N** 103.000 VND  
1 Gang 1 Way Switch  
3 Pole Multi Function Socket



**V4.0GK12Z13/N** 110.000 VND  
1 Gang 2 Way Switch  
3 Pole Multi Function Socket  
1. 16A/250VAC -- 50/60Hz  
2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu  
3. Switch Structure: Seesaw - Switch Toggle: 40,000 times/Socket Toggle: 10,000 times  
4. Working Temperature: -20°C - 70°C  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**V4.0GK13** 159.000 VND  
1 Gang Multi Control Switch  
1. 16A/250VAC -- 50/60Hz  
2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu  
3. Switch Structure: Seesaw - Toggle: 40,000 times  
4. Working Temperature: -20°C - 70°C  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**V5.0GK20A** 270.000 VND  
20A Switch  
1. 20A/250VAC -- 50/60Hz  
2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu  
3. Switch Structure: Seesaw - Toggle: 10,000 times  
4. Working Temperature: -20°C - 70°C  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**V4.0GK21** 71.000 VND  
2 Gang 1 Way Switch



**V4.0GK22** 85.000 VND  
2 Gang 2 Way Switch  
1. 16A/250VAC -- 50/60Hz  
2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu  
3. Switch Structure: Seesaw - Toggle: 40,000 times  
4. Working Temperature: -20°C - 70°C  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**V4.0GK41** 117.000 VND  
4 Gang 1 Way Switch



**V4.0GK42** 142.000 VND  
4 Gang 2 Way Switch  
1. 16A/250VAC -- 50/60Hz  
2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu  
3. Switch Structure: Seesaw - Toggle: 40,000 times  
4. Working Temperature: -20°C - 70°C  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**V4.0G1GM** 69.000 VND  
Door Bell Switch  
1. 16A/250VAC -- 50/60Hz  
2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu  
3. Switch Structure: Seesaw - Toggle: 40,000 times  
4. Working Temperature: -20°C - 70°C  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**V4.0GK23** 225.000 VND  
2 Gang Multi Control Switch  
1. 16A/250VAC -- 50/60Hz  
2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu  
3. Switch Structure: Seesaw - Toggle: 40,000 times  
4. Working Temperature: -20°C - 70°C  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**V5.0GK45A** 325.000 VND  
45A Switch  
1. 45A/250VAC -- 50/60Hz  
2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu  
3. Switch Structure: Seesaw - Toggle: 10,000 times  
4. Working Temperature: -20°C - 70°C  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm

**V4.0** Come from the German that has long civilization and forerunner science and technology



**V4.0GZ13/N** 74.000 VND  
3 Pole Multi Function Socket  
1.16A/250VAC – 50/60HZ  
2. Copper Class: Phosphor Bronze  
3. Toggle: 10,000 times  
4. Working Temperature: -20°C – 70°C,  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size:86mm x 86mm



**V4.0GZ12Z13/N** 120.000 VND  
5 Pole Multi Function Socket  
1.16A/250VAC --50/60Hz  
2. Copper Class: Phosphor Bronze  
3. Toggle: 10,000 times  
4. Working Temperature: -20°C – 70°C  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size:86mm x 86mm



**V4.0G-2TV** 145.000 VND  
2 Tivi Socket  
1. Lmpedance: 75 Ω  
2. Insertion Loss: VHF < 3.5dB  
UHF < 5dB, Flatness in band ±1.0 dB  
3. Plastics: PC - Box: 10 set - Carton: 100 set  
Size:86mm x 86mm



**V4.0G-1TV** 98.000 VND  
1 Tivi Socket  
1. Lmpedance: 75 Ω  
2. Insertion Loss: VHF < 3.5dB  
UHF < 5dB, Flatness in band ±1.0 dB  
3. Plastics: PC - Box: 10 set - Carton: 100 set  
Size:86mm x 86mm



**V4.0G-2TEL** 145.000 VND  
2 Telephone Socket  
1. Temperature: -20 – 70°C  
2. Insertion Resistance: ≥ 500mΩ  
3. Electrical Specification: ELA/TIABI  
4. Plastics: PC - Box: 10 set - Carton: 100 set  
Size:86mm x 86mm



**V4.0G-1TEL** 98.000 VND  
1 Telephone Socket  
1. Temperature: -20 – 70°C  
2. Insertion Resistance: ≥ 500mΩ  
3. Electrical Specification: ELA/TIABI  
4. Plastics: PC - Box: 10 set - Carton: 100 set  
Size:86mm x 86mm



**V4.0G-2PC** 208.000 VND  
2 Computer Socket  
1. Temperature: -20 – 70°C  
2. Insertion Resistance: ≥ 500mΩ  
3. Electrical Specification: ELA/TIABI  
4. Connection Mode: T568A, T568B  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size:86mm x 86mm



**V4.0G-1PC** 139.000 VND  
1 Computer Socket  
1. Temperature: -20 – 70°C  
2. Insertion Resistance: ≥ 500mΩ  
3. Electrical Specification: ELA/TIABI  
4. Connection Mode: T568A, T568B  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size:86mm x 86mm



**V4.0-TVPC** 185.000 VND  
Tivi & Computer Socket  
1. Lmpedance: 75 Ω  
2. Insertion Loss: VHF < 3.5dB  
UHF < 5dB, Flatness in band ±1.0 dB  
COMPUTER:  
1. Temperature: -20 – 70°C  
2. Insertion Resistance: ≥ 500mΩ  
3. Electrical Specification: ELA/TIABI  
4. Connection Mode: T568A, T568B  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size:86mm x 86mm



**V4.0-TVTEL** 145.000 VND  
Tivi & Telephone Socket  
1. Lmpedance: 75 Ω  
2. Insertion Loss: VHF < 3.5dB  
UHF < 5dB, Flatness in band ±1.0 dB  
Telephone:  
1. Temperature: -20 – 70°C  
2. Insertion Resistance: ≥ 500mΩ  
3. Electrical Specification: ELA/TIABI  
4. Plastics: PC - Box: 10 set - Carton: 100 set  
Size:86mm x 86mm



**V4.0-TELPC** 185.000 VND  
Telephone & Computer Socket  
1. Temperature: -20 – 70°C  
2. Insertion Resistance: ≥ 500mΩ  
3. Electrical Specification: ELA/TIABI  
1. Temperature: -20 – 70°C  
2. Insertion Resistance: ≥ 500mΩ  
3. Electrical Specification: ELA/TIABI  
4. Connection Mode: T568A, T568B  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size:86mm x 86mm



**V4.0GZ13/2NU** 539.000 VND  
USB Charging & Universal Socket  
1. 2.1A/ 5V USB Charging  
2. 16A/ 250V Universal Socket  
3. Plastics: PC - Box: 10 set - Carton: 100 set  
Size:86mm x 86mm



**V4.0G-1D/S** 229.000 VND  
Speed Control Switch  
1. Working Voltage: 220V – 50Hz  
2. Load Power: 25 – 300W  
3. Minimum Starting Voltage: 90 – 110V  
4. Load can be connected: Ceiling fan  
5. Never connect the zero line  
6. Plastics: PC - Box: 6 set - Carton: 60 set  
Size:86mm x 86mm



**V4.0G-1D/G** 229.000 VND  
Dimmer Control Switch  
1. Working Voltage: 220V – 50Hz  
2. Maximum load power: 500W  
3. Minimum Starting Voltage: 13 – 35V  
4. Only for filament Lamp  
5. Plastics: PC - Box: 6 set - Carton: 60 set  
Size:86mm x 86mm



**V4.0G-1D/Y** 279.000 VND  
Sound Control Switch  
1. Signal frequency range: 100Hz – 20KHz  
2. Rated load impedance: 8Ω  
3. Rated input power: 5W  
4. Plastics: PC - Box: 6 set - Carton: 60 set  
Size:86mm x 86mm



**V5.0ZDC** 979.000 VND  
Shaver Charging Socket  
1. 10A – 16A  
2. Load Power: 1100 – 2400W  
3. Working Voltage: 110V – 220V  
4. Plastics: PC - Box: 6 set - Carton: 60 set  
Size:86mm x 86mm



**V4.0DPGK22** 138.000 VND  
2 Gang Switch & with Please Clean & Do not Disturb  
1. 16A/250VAC -- 50/60Hz  
2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu  
3. Switch Structure: Seesaw - Toggle: 40,000 times  
4. Working Temperature: -20°C – 70°C  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size:86mm x 86mm



**V5.0G-3G/ML** 455.000 VND  
Don't Disturb & Please Clean & Door bell Switch  
1. Working Voltage: 220V – 50Hz  
2. No Less than 500 MΩ  
3. Maximum load power 5A  
4. Plastics: PC - Box: 8 set - Carton: 80 set  
Size:86mm x 86mm



**V5.0G-1D/J** 539.000 VND  
Insert Card for Power On



**V5.0G-1D/JG** 968.000 VND  
Insert Card for Power On (High frequency)  
1. Working Voltage: 30A/220V  
2. Only High-Frequency card insert into it can get power/Frequency: 13.56MHz  
3. Other Card is useless on it  
4. Plastics: PC - Box: 6 set - Carton: 60 set  
Size:86mm x 86mm

**V4.0** Come from the German that has long civilization and forerunner science and technology



**V4.0G-1D/H** 443.000 VND  
Human Body Sensor Switch  
1. Working Voltage: 220V ~ 50Hz  
2. Load Power: Filamentlamp 400W, fluorescentlamp, Electronic fluorescentlamp 200W  
3. Delay time: 30 ~ 40s  
4. Static Power: < 0.6W  
5. Light sensitive environment: Daybreak/Nightfall/Evening  
6. Range: Lebel angel 120°C  
7. Plastics: PC - Box: 8 set - Carton: 80 set  
Size:86mm x 86mm



**V4.0-MD** 37.000 VND  
Blank Panel  
1. Blank Panel  
2. Plastics: PC - Box: 20 set - Carton: 200 set  
Size:86mm x 86mm




**V4.0G-1D/C** 367.000 VND  
Touch Delay Switch  
1. Working Voltage: 220V ~ 50Hz  
2. Current: 5A  
3. Delay time: 30 ± 10s  
4. Static Current < 70ua(rms)  
5. Load Power: Filamentlamp, Fluoresce Ntlamps, Electronic Fluorescentlamp  
6. Plastics: PC - Box: 8 set - Carton: 80 set  
Size:86mm x 86mm



**V4.0G-2C/G** 138.000 VND  
Schuko Socket  
1. 16A/250VAC -- 50/60Hz  
2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu  
3. Switch Structure: Seesaw - Toggle: 40,000 times  
4. Working Temperature: -20°C~ 70°C.  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size:86mm x 86mm



**V4M/1M** 29.000 VND  
Switch Panel (Silver Border)



**V4M/1M** 29.000 VND  
Switch Panel (Gold Border)



**V4M/2M** 29.000 VND  
Switch Panel (Silver Border)  
1. Switch Panel  
2. Silver Border  
3. Plastics: PC - Box: 5 set - Carton: 500 set  
Size:86mm x 86mm



**V4M/2M** 29.000 VND  
Switch Panel (Gold Border)  
1. Switch Panel  
2. Gold Border  
3. Plastics: PC - Box: 5 set - Carton: 500 set  
Size:86mm x 86mm



**UB1F/C** 99.000 VND  
Waterproof Box  
1. Waterproof  
2. Plastics: PC - Box: 1 set - Carton: 200 set



**UBBOX/A** 27.000 VND  
Cassee Box  
1. Plastics: PC - Carton: 100 set  
Size:85mm x 85mm x 50mm

**UTEN**

Noble and elegant, a symbol of nobles;  
Fashionable and exquisite



**V6.0** Series



# V6.0

Come from the German that has long civilization and forerunner science and technology



**V6.0GK11** 123.000 VND  
1 Gang 1 Way Switch

**V6.0GK12** 131.000 VND  
1 Gang 2 Way Switch

- 1. 16A/250VAC -- 50/60Hz
  - 2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu
  - 3. Switch Structure: Seesaw - Toggle: 40,000 times
  - 4. Working Temperature: -20°C ~ 70°C.
  - 5. Plastics: PC - Box: 10 set - Carton: 100 set
- Size:86mm x 86mm



**V6.0GK21** 145.000 VND  
2 Gang 1 Way Switch

**V6.0GK22** 159.000 VND  
2 Gang 2 Way Switch

- 1. 16A/250VAC -- 50/60Hz
  - 2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu
  - 3. Switch Structure: Seesaw - Toggle: 40,000 times
  - 4. Working Temperature: -20°C ~ 70°C.
  - 5. Plastics: PC - Box: 10 set - Carton: 100 set
- Size:86mm x 86mm



**V6.0GK31** 167.000 VND  
3 Gang 1 Way Switch

**V6.0GK32** 186.000 VND  
3 Gang 2 Way Switch

- 1. 16A/250VAC -- 50/60Hz
  - 2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu
  - 3. Switch Structure: Seesaw - Toggle: 40,000 times
  - 4. Working Temperature: -20°C ~ 70°C.
  - 5. Plastics: PC - Box: 10 set - Carton: 100 set
- Size:86mm x 86mm



**V6.0GK41** 189.000 VND  
4 Gang 1 Way Switch

**V6.0GK42** 215.000 VND  
4 Gang 2 Way Switch

- 1. 16A/250VAC -- 50/60Hz
  - 2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu
  - 3. Switch Structure: Seesaw - Toggle: 40,000 times
  - 4. Working Temperature: -20°C ~ 70°C.
  - 5. Plastics: PC - Box: 10 set - Carton: 100 set
- Size:86mm x 86mm



**V6.0GK11Z13/N** 164.000 VND  
1 Gang 1 Way Switch  
3 Pole Multi Function Socket

**V6.0GK12Z13/N** 171.000 VND  
1 Gang 2 Way Switch  
3 Pole Multi Function Socket

- 1. 16A/250VAC -- 50/60Hz
  - 2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu
  - 3. Switch Structure: Seesaw - Switch Toggle: 40,000 times/Socket Toggle: 10,000 times
  - 4. Working Temperature: -20°C ~ 70°C.
  - 5. Plastics: PC - Box: 10 set - Carton: 100 set
- Size:86mm x 86mm



**V6.0G1GM** 139.000 VND  
Door Bell Switch

- 1. 16A/250VAC -- 50/60Hz
  - 2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu
  - 3. Switch Structure: Seesaw - Toggle: 40,000 times
  - 4. Working Temperature: -20°C ~ 70°C.
  - 5. Plastics: PC - Box: 10 set - Carton: 100 set
- Size:86mm x 86mm



**V6.0GK13** 208.000 VND  
1 Gang Multi Control Switch

- 1. 16A/250VAC -- 50/60Hz
  - 2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu
  - 3. Switch Structure: Seesaw - Toggle: 40,000 times
  - 4. Working Temperature: -20°C ~ 70°C.
  - 5. Plastics: PC - Box: 10 set - Carton: 100 set
- Size:86mm x 86mm



**V6.0GK23** 318.000 VND  
2 Gang Multi Control Switch

- 1. 16A/250VAC -- 50/60Hz
  - 2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu
  - 3. Switch Structure: Seesaw - Toggle: 40,000 times
  - 4. Working Temperature: -20°C ~ 70°C.
  - 5. Plastics: PC - Box: 10 set - Carton: 100 set
- Size:86mm x 86mm



**V6.0GK20A** 325.000 VND  
20A Switch

- 1. 20A/250VAC -- 50/60Hz
  - 2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu
  - 3. Switch Structure: Seesaw - Toggle: 10,000 times
  - 4. Working Temperature: -20°C ~ 70°C.
  - 5. Plastics: PC - Box: 10 set - Carton: 100 set
- Size:86mm x 86mm



**V6.0GK45A** 380.000 VND  
45A Switch

- 1. 45A/250VAC -- 50/60Hz
  - 2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu
  - 3. Switch Structure: Seesaw - Toggle: 10,000 times
  - 4. Working Temperature: -20°C ~ 70°C.
  - 5. Plastics: PC - Box: 10 set - Carton: 100 set
- Size:86mm x 86mm



**V6.0GZ13/N** 142.000 VND  
3 Pole Multi Function Socket

- 1. 16A/250VAC -- 50/60Hz
  - 2. Copper Class: Phosphor Bronze
  - 3. Toggle: 10,000 times
  - 4. Working Temperature: -20°C ~ 70°C.
  - 5. Plastics: PC - Box: 10 set - Carton: 100 set
- Size:86mm x 86mm



**V6.0GZ12Z13/N** 159.000 VND  
5 Pole Multi Function Socket

- 1. 16A/250VAC -- 50/60Hz
  - 2. Copper Class: Phosphor Bronze
  - 3. Toggle: 10,000 times
  - 4. Working Temperature: -20°C ~ 70°C.
  - 5. Plastics: PC - Box: 10 set - Carton: 100 set
- Size:86mm x 86mm



**V6.0G-1TV** 169.000 VND  
1 Tivi Socket

- 1. Impedance: 75 Ω
  - 2. Insertion Loss: VHF<3.5dB UHF < 5dB, Flatness in band ±1.0 dB
  - 3. Plastics: PC - Box: 10 set - Carton: 100 set
- Size:86mm x 86mm



**V6.0G-2TV** 205.000 VND  
2 Tivi Socket

- 1. Impedance: 75 Ω
  - 2. Insertion Loss: VHF<3.5dB UHF < 5dB, Flatness in band ±1.0 dB
  - 3. Plastics: PC - Box: 10 set - Carton: 100 set
- Size:86mm x 86mm



**V6.0G-1TEL** 169.000 VND  
1 Telephone Socket

- 1. Temperature: -20 ~ 70°C
  - 2. Insertion Resistance: ≥ 500mΩ
  - 3. Electrical Specification: ELA/TIABI
  - 4. Plastics: PC - Box: 10 set - Carton: 100 set
- Size:86mm x 86mm



**V6.0G-2TEL** 205.000 VND  
2 Telephone Socket

- 1. Temperature: -20 ~ 70°C
  - 2. Insertion Resistance: ≥ 500mΩ
  - 3. Electrical Specification: ELA/TIABI
  - 4. Plastics: PC - Box: 10 set - Carton: 100 set
- Size:86mm x 86mm



**V6.0G-1PC** 225.000 VND  
1 Computer Socket

- 1. Temperature: -20 ~ 70°C
  - 2. Insertion Resistance: ≥ 500mΩ
  - 3. Electrical Specification: ELA/TIABI
  - 4. Connection Mode: T568A, T568B
  - 5. Plastics: PC - Box: 10 set - Carton: 100 set
- Size:86mm x 86mm



**V6.0G-2PC** 307.000 VND  
2 Computer Socket

- 1. Temperature: -20 ~ 70°C
  - 2. Insertion Resistance: ≥ 500mΩ
  - 3. Electrical Specification: ELA/TIABI
  - 4. Connection Mode: T568A, T568B
  - 5. Plastics: PC - Box: 10 set - Carton: 100 set
- Size:86mm x 86mm



**V6.0-TVPC** 267.000 VND  
Tivi & Computer Socket

- 1. Impedance: 75 Ω
  - 2. Insertion Loss: VHF<3.5dB UHF < 5dB, Flatness in band ±1.0 dB
  - 3. Electrical Specification: ELA/TIABI
  - 4. Connection Mode: T568A, T568B
  - 5. Plastics: PC - Box: 10 set - Carton: 100 set
- Size:86mm x 86mm



**V6.0-TVTEL** 205.000 VND  
Tivi & Telephone Socket

- 1. Impedance: 75 Ω
  - 2. Insertion Loss: VHF<3.5dB UHF < 5dB, Flatness in band ±1.0 dB
  - 3. Electrical Specification: ELA/TIABI
  - 4. Connection Mode: T568A, T568B
  - 5. Plastics: PC - Box: 10 set - Carton: 100 set
- Size:86mm x 86mm

**V6.0** Come from the German that has long civilization and forerunner science and technology



**V6.0-TELPC** 267.000 VND  
Telephone & Computer Socket

1. Temperature: -20 ~ 70°C
2. Insertion Resistance: ≥500mΩ
3. Electrical Specification: ELA/TIABI
1. Temperature: -20 ~ 70°C
2. Insertion Resistance: ≥ 500mΩ
3. Electrical Specification: ELA/TIABI
4. Connection Mode: T568A, T568B
5. Plastics: PC - Box: 10 set - Carton: 100 set

Size:86mm × 86mm



**V6.0G-1D/Y** 293.000 VND  
Sound Control Switch

1. Signal frequency range: 100Hz ~ 20KHz
2. Rated load impedance: 8Ω
3. Rated input power: 5W
4. Plastics: PC - Box: 6 set - Carton: 60 set

Size:86mm × 86mm



**V6.0G-1D/G** 271.000 VND  
Dimmer Control Switch

1. Working Voltage: 220V ~ 50Hz
2. Maximum load power: 500W
3. Minimum Starting Voltage: 13~35V
4. Only for filament Lamp
5. Plastics: PC - Box: 6 set - Carton: 60 set

Size:86mm × 86mm



**V6.0G-1D/S** 271.000 VND  
Speed Control Switch

1. Working Voltage: 220V ~ 50Hz
2. Load Power: 25 ~ 300W
3. Minimum Starting Voltage: 90~110V
4. Load can be connected: Ceiling fan
5. Never connect the zero line
6. Plastics: PC - Box: 6 set - Carton: 60 set

Size:86mm × 86mm



**V6.0GZ13/2NU** 594.000 VND  
USB Charging & Universal Socket

1. 2.1A/ 5V USB Charging
2. 16A/ 250V Universal Socket
3. Plastics: PC - Box: 10 set - Carton: 100 set

Size:86mm × 86mm



**V6.0ZDC** 1.040.000 VND  
Shaver Charging Socket

1. 10A ~ 16A
2. Load Power: 1100 ~ 2400W
3. Working Voltage: 110V ~ 220V
4. Plastics: PC - Box: 6 set - Carton: 60 set

Size:86mm × 86mm



**V6.0G-1D/J** 649.000 VND  
Insert Card for Power On

1. Working Voltage: 30A/220V
2. Plastics: PC - Box: 6 set - Carton: 60 set



**V6.0G-1D/JG** 1.078.000 VND  
Insert Card for Power On (High frequency)

1. Working Voltage: 30A/220V
2. Only High-Frequency card insert into it can get power/Frequency: 13.56MHz
3. Other Card is useless on it
4. Plastics: PC - Box: 6 set - Carton: 60 set

Size:86mm × 86mm



**V6.0DPGK22** 308.000 VND  
2 Gang Switch & with Please Clean & Do not disturb

1. Working Voltage: 16A/250V
2. 1 Gang Please Clean Switch
3. 1 Gang Do not disturb Switch
4. Plastics: PC - Box: 10 set - Carton: 100 set

Size:86mm × 86mm



**V6.0G-3G/ML** 649.000 VND  
Don't Disturb & Please Clean & Door bell Switch

1. Working Voltage: 220V ~ 50Hz
2. No Less than 500 MΩ
3. Maximum load power 5A
4. Plastics: PC - Box: 8 set - Carton: 80 set

Size:86mm × 86mm



**V6.0KZ12Z13/N** 205.000 VND  
1 Gang & Universal Socket

- 1.16A/250VAC ~ 50/60Hz
2. Copper Class: Phosphor Bronze
3. Toggle: 10,000 times
4. Working Temperature: -20°C ~ 70°C
5. Plastics: PC - Box: 10 set - Carton: 100 set

Size:86mm × 86mm



**V6.0GZ/S** 194.000 VND  
Schuko Socket

- 1.16A/250VAC ~ 50/60Hz
2. Copper Class: Phosphor Bronze
3. Toggle: 10,000 times
4. Working Temperature: -20°C ~ 70°C
5. Plastics: PC - Box: 10 set - Carton: 100 set

Size:86mm × 86mm



**V6.0G-1D/H** 439.000 VND  
Human Body Sensor Switch

1. Working Voltage: 220V ~ 50Hz
2. Load Power: Filament lamp 400W, fluorescent lamp, Electronic fluorescent lamp 200W
3. Delay time: 30 ~ 40s
4. Static Power: < 0.5W
5. Light sensitive environment: Daybreak/Nightfall/Evening
6. Range: Label angle 120°C
7. Plastics: PC - Box: 8 set - Carton: 80 set

Size:86mm × 86mm



**V6.0G-1D/F** 685.000 VND  
Electronic airflow switch

1. Working Voltage: 220V ~ 50Hz
2. Maximum Load Power: 25 ~ 300W
3. Load can be connected: Ceiling fan
4. Minimum Starting Voltage: 90 ~ 110V
5. Electronic Airflow Switch
6. Plastics: PC - Box: 8 set - Carton: 80 set

Size:86mm × 86mm



**V6.0-A/S** 534.000 VND  
Step light

1. It is a light with sensor which you can install in the stair or corridor.
2. This light is influenced by the ambient light sense, and it will automatically sense the ambient light sense to decide whether to turn it on or not.
3. Plastics: PC - Box: 10 set - Carton: 100 set

Size:86mm × 86mm



**V6.0G-1D/K** 305.000 VND  
Sound Control Delay Switch

1. Working Voltage: 220V ~ 50Hz
2. Load Power: Filament lamp 400W, Fluorescent Lamps & LED Lamp 200W
3. Delay times: 60 ± 15s
4. Static Power: < 0.6W
5. Sensitivity: 60 ~ 80db
6. Plastics: PC - Box: 8 set - Carton: 80 set

Size:86mm × 86mm



**V6.0G-MD** 109.000 VND  
Blank Panel

1. Blank Panel
2. Plastics: PC - Box: 20 set - Carton: 200 set

Size:86mm × 86mm



**V6.0G-UH** 858.000 VND  
USB & HDMI

1. 2.1A/ 5V USB Charging
2. Plastics: PC - Box: 8 set - Carton: 80 set

Size:86mm × 86mm



**UB1F/C** 99.000 VND  
Waterproof Box

1. Waterproof
2. Plastics: PC - Box: 1 set - Carton: 200 set



**UBBOX/A** 27.000 VND  
Cassee Box

1. Plastics: PC - Carton: 100 set

Size:85mm × 85mm × 50mm



**V6.0** Come from the German that has long civilization and forerunner science and technology



**V6.1-M/2M** 268.000 VND

Double Panel with bracket

Plastics: PC - Box: 6 set - Carton: 84 set  
Size:172mm x 86mm



**V6.1-M/3M** 468.000 VND

Triple Panel with bracket

Plastics: PC - Box: 6 set - Carton: 84 set  
Size:258mm x 86mm



**V6.1-M/4M** 730.000 VND

Quadruple Panel with bracket  
Size:344mm x 86mm



**V6.1-M/5M** 861.000 VND

Quintuple Panel with bracket  
Size:430mm x 86mm



**UTEN**

Noble and elegant, a symbol of nobles;  
Fashionable and exquisite



**Q7** Series

**Q7** Come from the German that has long civilization and forerunner science and technology



**Q7GK12** 224.000 VND

1 Gang 2 Way Switch LED

- 10A/250VAC -- 50/60Hz
- Contact Point: Silver 0.35mm - Purple Copper: 65% Cu
- Switch Structure: Seesaw - Switch Toggle: 40,000 times/Socket Toggle: 10,000 times
- Working Temperature: -20°C ~ 70°C.
- Plastics: PC - Box: 10 set - Carton: 100 set Size: 86mm x 86mm



**Q7GK22** 326.000 VND

2 Gang 2 Way Switch LED

- 10A/250VAC -- 50/60Hz
- Contact Point: Silver 0.35mm - Purple Copper: 65% Cu
- Switch Structure: Seesaw - Switch Toggle: 40,000 times/Socket Toggle: 10,000 times
- Working Temperature: -20°C ~ 70°C.
- Plastics: PC - Box: 10 set - Carton: 100 set Size: 86mm x 86mm



**Q7GK32** 426.000 VND

3 Gang 2 Way Switch LED

- 10A/250VAC -- 50/60Hz
- Contact Point: Silver 0.35mm - Purple Copper: 65% Cu
- Switch Structure: Seesaw - Switch Toggle: 40,000 times/Socket Toggle: 10,000 times
- Working Temperature: -20°C ~ 70°C.
- Plastics: PC - Box: 10 set - Carton: 100 set Size: 86mm x 86mm



**Q7GK42** 547.000 VND

4 Gang 2 Way Switch LED

- 10A/250VAC -- 50/60Hz
- Contact Point: Silver 0.35mm - Purple Copper: 65% Cu
- Switch Structure: Seesaw - Switch Toggle: 40,000 times/Socket Toggle: 10,000 times
- Working Temperature: -20°C ~ 70°C.
- Plastics: PC - Box: 10 set - Carton: 100 set Size: 86mm x 86mm



**Q7GK12Z13/N** 280.000 VND

1 Gang 2 Way Switch  
3 Pole Multi Function Socket

- 16A/250VAC -- 50/60Hz
- Contact Point: Silver 0.35mm - Purple Copper: 65% Cu
- Switch Structure: Seesaw - Switch Toggle: 40,000 times/Socket Toggle: 10,000 times
- Working Temperature: -20°C ~ 70°C.
- Plastics: PC - Box: 10 set - Carton: 100 set Size: 86mm x 86mm



**Q7-GM** 160.000 VND

Door Bell Switch LED

- 10A/250VAC -- 50/60Hz
- Contact Point: Silver 0.35mm - Purple Copper: 65% Cu
- Switch Structure: Seesaw - Switch Toggle: 40,000 times/Socket Toggle: 10,000 times
- Working Temperature: -20°C ~ 70°C.
- Plastics: PC - Box: 10 set - Carton: 100 set Size: 86mm x 86mm



**Q7GK13** 270.000 VND

1 Gang Multi Control Switch LED

- 10A/250VAC -- 50/60Hz
- Contact Point: Silver 0.35mm - Purple Copper: 65% Cu
- Switch Structure: Seesaw - Switch Toggle: 40,000 times/Socket Toggle: 10,000 times
- Working Temperature: -20°C ~ 70°C.
- Plastics: PC - Box: 10 set - Carton: 100 set Size: 86mm x 86mm



**Q7GK23** 333.000 VND

2 Gang Multi Control Switch LED

- 10A/250VAC -- 50/60Hz
- Contact Point: Silver 0.35mm - Purple Copper: 65% Cu
- Switch Structure: Seesaw - Switch Toggle: 40,000 times/Socket Toggle: 10,000 times
- Working Temperature: -20°C ~ 70°C.
- Plastics: PC - Box: 10 set - Carton: 100 set Size: 86mm x 86mm



**Q7GK20A** 376.000 VND

20A Switch

- 20A/250VAC -- 50/60Hz
- Contact Point: Silver 0.35mm - Purple Copper: 65% Cu
- Switch Structure: Seesaw - Toggle: 10,000 times
- Working Temperature: -20°C ~ 70°C.
- Plastics: PC - Box: 10 set - Carton: 100 set Size: 86mm x 86mm



**Q7GK45A** 447.000 VND

45A Switch

- 45A/250VAC -- 50/60Hz
- Contact Point: Silver 0.35mm - Purple Copper: 65% Cu
- Switch Structure: Seesaw - Toggle: 10,000 times
- Working Temperature: -20°C ~ 70°C.
- Plastics: PC - Box: 10 set - Carton: 100 set Size: 86mm x 86mm



**Q7GZ13/N** 165.000 VND

3 Pole Multi Function Socket

- 16A/250VAC -- 50/60Hz
- Copper Class: Phosphor Bronze
- Toggle: 10,000 times
- Working Temperature: -20°C ~ 70°C.
- Plastics: PC - Box: 10 set - Carton: 100 set Size: 86mm x 86mm



**Q7GZ12Z13/N** 187.000 VND

5 Pole Multi Function Socket

- 16A/250VAC -- 50/60Hz
- Copper Class: Phosphor Bronze
- Toggle: 10,000 times
- Working Temperature: -20°C ~ 70°C.
- Plastics: PC - Box: 10 set - Carton: 100 set Size: 86mm x 86mm



**Q7-MD** 125.000 VND

Blank Panel

- Blank Panel
- Plastics: PC - Box: 20 set - Carton: 200 set Size: 86mm x 86mm



**Q7GK11Z12Z13/N** 302.000 VND

1 Gang 1 Way Switch Led  
& 5 Pins Universal Socket

- 6A/250VAC - 50/60Hz
- 5 Pins Universal Socket
- Plastics: PC - Box: 10 set - Carton: 100 set Size: 86mm x 86mm



**Q7G-1TEL** 198.000 VND

1 Telephone Socket

- Temperature: -20 ~ 70°C
- Insertion Resistance: ≥ 500mΩ
- Electrical Specification: ELA/TIABI
- Plastics: PC - Box: 10 set - Carton: 100 set Size: 86mm x 86mm



**Q7G-2TEL** 242.000 VND

2 Telephone Socket

- Temperature: -20 ~ 70°C
- Insertion Resistance: ≥ 500mΩ
- Electrical Specification: ELA/TIABI
- Connection Mode: T568A, T568B
- Plastics: PC - Box: 10 set - Carton: 100 set Size: 86mm x 86mm



**Q7G-1TV** 198.000 VND

1 Tivi Socket

- Impedance: 75 Ω
- Insertion Loss: VHF < 3.5dB  
UHF < 5dB, Flatness in band ±1.0 dB
- Plastics: PC - Box: 10 set - Carton: 100 set Size: 86mm x 86mm



**Q7G-2TV** 242.000 VND

2 Tivi Socket

- Impedance: 75 Ω
- Insertion Loss: VHF < 3.5dB  
UHF < 5dB, Flatness in band ±1.0 dB
- Plastics: PC - Box: 10 set - Carton: 100 set Size: 86mm x 86mm



**Q7G-1PC** 265.000 VND

1 Computer Socket

- Temperature: -20 ~ 70°C
- Insertion Resistance: ≥ 500mΩ
- Electrical Specification: ELA/TIABI
- Connection Mode: T568A, T568B
- Plastics: PC - Box: 10 set - Carton: 100 set Size: 86mm x 86mm



**Q7G-2PC** 362.000 VND

2 Computer Socket

- Temperature: -20 ~ 70°C
- Insertion Resistance: ≥ 500mΩ
- Electrical Specification: ELA/TIABI
- Connection Mode: T568A, T568B
- Plastics: PC - Box: 10 set - Carton: 100 set Size: 86mm x 86mm

**Q7** Come from the German that has long civilization and forerunner science and technology



**Q7-TVPC** 315.000 VND  
Tivi & Computer Socket

TV :  
1. Impedance: 75 Ω  
2. Insertion Loss: VHF<3.5dB  
UHF<5dB, Flatness in band ±1.0 dB  
3. Plastics: PC - Box: 10 set - Carton: 100 set  
COMPUTER:  
1. Temperature: -20 ~ 70°C  
2. Insertion Resistance: ≥ 500mΩ  
3. Electrical Specification: ELA/TIABI  
4. Connection Mode: T568A, T568B  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size:86mm × 86mm



**Q7-TELPC** 315.000 VND  
Telephone & Computer Socket

Telephone:  
1. Temperature: -20 ~ 70°C  
2. Insertion Resistance: ≥ 500mΩ  
3. Electrical Specification: ELA/TIABI  
Computer  
1. Insertion Resistance: ≥ 500mΩ  
2. Electrical Specification: ELA/TIABI  
3. Connection Mode: T568A, T568B  
4. Plastics: PC - Box: 10 set - Carton: 100 set  
Size:86mm × 86mm



**Q7-TVTEL** 241.000 VND  
TV & Telephone Socket

TV :  
1. Impedance: 75 Ω  
2. Insertion Loss: VHF<3.5dB  
UHF<5dB, Flatness in band ±1.0 dB  
3. Plastics: PC - Box: 10 set - Carton: 100 set  
Telephone:  
1. Temperature: -20 ~ 70°C  
2. Insertion Resistance: ≥ 500mΩ  
3. Electrical Specification: ELA/TIABI  
4. Plastics: PC - Box: 10 set - Carton: 100 set  
Size:86mm × 86mm



**Q7G-1D/Y** 366.000 VND  
Sound Control Switch

1. Signal frequency range: 100Hz ~ 20KHz  
2. Rated load impedance: 8Ω  
3. Rated input power: 5W  
4. Plastics: PC - Box: 6 set - Carton: 60 set  
Size:86mm × 86mm



**Q7G-1D/S** 339.000 VND  
Speed Control Switch

1. Signal frequency range: 100Hz ~ 20KHz  
2. Rated load impedance: 8Ω  
3. Rated input power: 5W  
4. Plastics: PC - Box: 6 set - Carton: 60 set  
Size:86mm × 86mm



**Q7G-1D/G** 339.000 VND  
Dimmer Control Switch

1. Working Voltage: 220V ~ 50Hz  
2. Maximum load power: 500W  
3. Minimum Starting Voltage: 13~35V  
4. Only for filament Lamp  
5. Plastics: PC - Box: 6 set - Carton: 60 set  
Size:86mm × 86mm



**Q7DPGK22** 422.000 VND  
2 Gang Switch & with Please Clean & Do not disturb

1. Working Voltage: 16A/250V  
2. 1 Gang Please Clean Switch  
3. 1 Gang Do not disturb Switch  
4. Plastics: PC - Box: 10 set - Carton: 100 set  
Size:86mm × 86mm



**Q7G-3G/ML** 753.000 VND  
Don't Disturb & Please Clean & Door bell Switch

1. Working Voltage: 220V ~ 50Hz  
2. No Less than 500 MΩ  
3. Maximum load power 5A  
4. Plastics: PC - Box: 8 set - Carton: 80 set  
Size:86mm × 86mm



**Q7G-1D/J** 767.000 VND  
Insert Card for Power On

1. Working Voltage: 30A/220V  
2. Plastics: PC - Box: 6 set - Carton: 60 set



**Q7G-1D/JG** 1.125.000 VND  
Insert Card for Power On (High frequency)

1. Working Voltage: 30A/220V  
2. Only High-Frequency card insert into it can get power/Frequency: 13.56MHz  
3. Other Card is useless on it  
4. Plastics: PC - Box: 6 set - Carton: 60 set  
Size:86mm × 86mm



**Q7GZ13/2NU** 622.000 VND  
USB Charging & Universal Socket

1. 2.1A/ 5V USB Charging  
2. 16A/ 250V Universal Socket  
3. Plastics: PC - Box: 10 set - Carton: 100 set  
Size:86mm × 86mm



**Q7G-1D/H** 550.000 VND  
Human Body Sensor Switch

1. Working Voltage: 220V ~ 50Hz  
2. Load Power: Filamentlamp 400W, fluorescentlamp, Electronic fluorescentlamp 200W  
3. Delay time: 30 ~ 40s  
4. Static Power: < 0.6W  
5. Light sensitive environment: Daybreak/Nightfall/Evening  
6. Range: Lebel angel 120°C  
7. Plastics: PC - Box: 8 set - Carton: 80 set  
Size:86mm × 86mm



**Q7ZDC** 1.195.000 VND  
Shaver Charging Socket

1. 10A ~ 16A  
2. Load Power: 1100 ~ 2400W  
3. Working Voltage: 110V ~ 220V  
4. Plastics: PC - Box: 6 set - Carton: 60 set  
Size:86mm × 86mm



**Q7G-1D/C** 440.000 VND  
Touch Delay Switch

1. Working Voltage: 220V ~ 50Hz  
2. Current: 5A  
3. Delay time: 30 ± 10s  
4. Static Current ≤ 70UA(RMS)  
5. Load Power: Filamentlamp, Fluorescentlamp, Electronic Fluorescentlamp  
6. Plastics: PC - Box: 8 set - Carton: 80 set  
Size:86mm × 86mm



**Q7G-1D/F** 787.000 VND  
Electronic Airflow Switch

1. Working Voltage: 220V ~ 50Hz  
2. Mximum load power: 5A  
3. Load Power: The motor  
4. Electronic Airflow Switch  
5. Plastics: PC - Box: 8 set - Carton: 80 set  
Size:86mm × 86mm



**Q7G-1D/K** 350.000 VND  
Sound Control Delay Switch

1. Working Voltage: 220V ~ 50Hz  
2. Load Power: Flamentlamp 400W, Fluorescent Lamps & LED Lamp 200W  
3. Delay times: 60 ± 15s  
4. Staric Power: < 0.6W  
5. Sensifivity: 60 ~ 80db  
6. Plastics: PC - Box: 8 set - Carton: 80 set  
Size:86mm × 86mm



**UB1F/C** 99.000 VND  
Waterproof Box

1. Waterproof  
2. Plastics: PC - Box: 1 set - Carton: 200 set



**UBBOX/A** 27.000 VND  
Cassee Box

1. Plastics: PC - Carton: 100 set  
Size:85mm × 85mm × 50mm

# UTEN

Noble and elegant, a symbol of nobles;  
Fashionable and exquisite

Color:  
Black - Gold - Pearl White- Gray



# S300 Series



**S300** Come from the German that has long civilization and forerunner science and technology



**S300GK12** 145.000 VND  
1 Gang 2 Way Switch  
1. 10A/250VAC -- 50/60Hz  
2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu  
3. Switch Structure: Seesaw - Toggle: 40,000 times  
4. Working Temperature: -20°C - 70°C  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**S300GK22** 178.000 VND  
2 Gang 2 Way Switch  
1. 10A/250VAC -- 50/60Hz  
2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu  
3. Switch Structure: Seesaw - Toggle: 40,000 times  
4. Working Temperature: -20°C - 70°C  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**S300GK32** 211.000 VND  
3 Gang 2 Way Switch  
1. 10A/250VAC -- 50/60Hz  
2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu  
3. Switch Structure: Seesaw - Toggle: 40,000 times  
4. Working Temperature: -20°C - 70°C  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**S300GK42** 246.000 VND  
4 Gang 2 Way Switch  
1. 10A/250VAC -- 50/60Hz  
2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu  
3. Switch Structure: Seesaw - Toggle: 40,000 times  
4. Working Temperature: -20°C - 70°C  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**S300K11Z12Z13** 238.000 VND  
1 Gang 1 Way Switch  
5 Pole Multi Function Socket  
1. 16A/250VAC -- 50/60Hz  
2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu  
3. Switch Structure: Seesaw - Switch Toggle: 40,000 times/Socket Toggle: 10,000 times  
4. Working Temperature: -20°C - 70°C  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**S300G-1G/M** 152.000 VND  
Door Bell Switch  
1. 10A/250VAC -- 50/60Hz  
2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu  
3. Switch Structure: Seesaw - Switch Toggle: 40,000 times/Socket Toggle: 10,000 times  
4. Working Temperature: -20°C - 70°C  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**S300GK13** 240.000 VND  
1 Gang Multi Control Switch  
1. 10A/250VAC -- 50/60Hz  
2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu  
3. Switch Structure: Seesaw - Toggle: 40,000 times  
4. Working Temperature: -20°C - 70°C  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**S300GK23** 373.000 VND  
2 Gang Multi Control Switch  
1. 10A/250VAC -- 50/60Hz  
2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu  
3. Switch Structure: Seesaw - Toggle: 40,000 times  
4. Working Temperature: -20°C - 70°C  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**S300GZ13/2NU** 683.000 VND  
USB Charging & Universal Socket  
1. 2.1A/ 5V USB Charging  
2. 16A/ 250V Universal Socket  
3. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**S300GZ12Z13/N** 183.000 VND  
5 Pole Multi Function Socket  
1. 16A/250VAC -- 50/60Hz  
2. Copper Class: Phosphor Bronze  
3. Toggle: 10,000 times  
4. Working Temperature: -20°C - 70°C  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm

# S300

Come from the German that has long civilization and forerunner science and technology



**S300G-1TEL** 189.000 VND  
1 Telephone Socket  
1. Temperature: -20 ~ 70°C  
2. Insertion Resistance: ≥ 500mΩ  
3. Electrical Specification: ELA/TIABI  
4. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm × 86mm



**S300G-2TEL** 230.000 VND  
2 Telephone Socket  
1. Temperature: -20 ~ 70°C  
2. Insertion Resistance: ≥ 500mΩ  
3. Electrical Specification: ELA/TIABI  
4. Connection Mode: T568A, T568B  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm × 86mm



**S300G-1TV** 189.000 VND  
1 Tivi Socket  
1. Impedance: 75 Ω  
2. Insertion Loss: VHF < 3.5dB  
UHF < 5dB, Flatness in band ±1.0 dB  
3. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm × 86mm



**S300G-2TV** 230.000 VND  
2 Tivi Socket  
1. Impedance: 75 Ω  
2. Insertion Loss: VHF < 3.5dB  
UHF < 5dB, Flatness in band ±1.0 dB  
3. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm × 86mm



**S300G-1PC** 255.000 VND  
1 Computer Socket  
1. Temperature: -20 ~ 70°C  
2. Insertion Resistance: ≥ 500mΩ  
3. Electrical Specification: ELA/TIABI  
4. Connection Mode: T568A, T568B  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm × 86mm



**S300G-2PC** 345.000 VND  
2 Computer Socket  
1. Temperature: -20 ~ 70°C  
2. Insertion Resistance: ≥ 500mΩ  
3. Electrical Specification: ELA/TIABI  
4. Connection Mode: T568A, T568B  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm × 86mm



**S300-TVTEL** 230.000 VND  
Tivi & Telephone  
1. Impedance: 75 Ω  
2. Insertion Loss: VHF < 3.5dB  
UHF < 5dB, Flatness in band ±1.0 dB  
1. Temperature: -20 ~ 70°C  
2. Insertion Resistance: ≥ 500mΩ  
3. Electrical Specification: ELA/TIABI  
4. Connection Mode: T568A, T568B  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm × 86mm



**S300-TVPC** 299.000 VND  
Tivi & Computer Socket  
TV:  
1. Impedance: 75 Ω  
2. Insertion Loss: VHF 3.5dB  
UHF < 5dB, Flatness in band ±1.0 dB  
3. Plastics: PC - Box: 10 set - Carton: 100 set  
1. Temperature: -20 ~ 70°C  
2. Insertion Resistance: ≥ 500mΩ  
3. Electrical Specification: ELA/TIABI  
4. Connection Mode: T568A, T568B  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm × 86mm



**S300-TELPC** 299.000 VND  
Telephone & Computer Socket  
Telephone:  
1. Temperature: -20 ~ 70°C  
2. Insertion Resistance: ≥ 500mΩ  
3. Electrical Specification: ELA/TIABI  
1. Temperature: -20 ~ 70°C  
2. Insertion Resistance: ≥ 500mΩ  
3. Electrical Specification: ELA/TIABI  
4. Connection Mode: T568A, T568B  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm × 86mm



**S300-M/D** 119.000 VND  
Blank Panel  
1. Blank Panel  
2. Plastics: PC - Box: 20 set - Carton: 200 set  
Size: 86mm × 86mm



**S300GK20A** 367.000 VND  
20A Switch  
1. 20A/250VAC -- 50/60Hz  
2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu  
3. Switch Structure: Seesaw - Toggle: 10,000 times  
4. Working Temperature: -20°C ~ 70°C  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm × 86mm



**S300GK45A** 445.000 VND  
45A Switch  
1. 45A/250VAC -- 50/60Hz  
2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu  
3. Switch Structure: Seesaw - Toggle: 10,000 times  
4. Working Temperature: -20°C ~ 70°C  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm × 86mm



**S300ZDC** 1.241.000 VND  
Shaver Charging Socket  
1. 10A ~ 16A  
2. Load Power: 1100 ~ 2400W  
3. Working Voltage: 110V ~ 220V  
4. Plastics: PC - Box: 6 set - Carton: 60 set  
Size: 86mm × 86mm



**S300G-1D/G** 346.000 VND  
Dimmer Control Switch  
1. Working Voltage: 220V ~ 50Hz  
2. Maximum load power: 500W  
3. Minimum Staring Voltage: 13~35V  
4. Only for filament Lamp  
5. Plastics: PC - Box: 6 set - Carton: 60 set  
Size: 86mm × 86mm



**S300G-3G/ML** 761.000 VND  
Don't Disturb & Please Clean & Door bell Switch  
1. Working Voltage: 220V ~ 50Hz  
2. No less than 500 MΩ  
3. Maximum load power 5A  
4. Plastics: PC - Box: 8 set - Carton: 80 set  
Size: 86mm × 86mm



**S300G-1D/S** 346.000 VND  
Speed Control Switch  
1. Working Voltage: 220V ~ 50Hz  
2. Load Power: 25 ~ 300W  
3. Minimum Staring Voltage: 90~110V  
4. Load can be connected: Ceiling fan  
5. Never connect the zero line  
6. Plastics: PC - Box: 6 set - Carton: 60 set  
Size: 86mm × 86mm



**S300DPGK22** 367.000 VND  
2 Gang Switch & Please Clean & Do not Disturb  
1. Working Voltage: 16A/250V  
2. 1 Gang Please Clean Switch  
3. 1 Gang Do not Disturb Switch  
4. Glass - box: 10 sets - Carton: 100 sets  
5. Size: 86mm × 86mm



**S300G-1D/H** 562.000 VND  
Human Body Sensor Switch  
1. Working Voltage: 220V ~ 50Hz  
2. Load Power: Filament lamp 400W, fluorescent lamp, Electronic fluorescent lamp 200W  
3. Delay time: 30 ~ 40s  
4. Static Power: < 0.6W  
5. Light sensitive environment: Daybreak/Nightfall/Evening  
6. Range: Level angle 120°C  
7. Plastics: PC - Box: 8 set - Carton: 80 set  
Size: 86mm × 86mm



**S300G-1D/J** 786.000 VND  
Insert Card for Power On  
1. Working Voltage: 30A/220V  
2. Plastics: PC - Box: 6 set - Carton: 60 set  
Size: 86mm × 86mm



**S300G-1D/JG** 1.129.000 VND  
Insert Card for Power On (High frequency)  
1. Working Voltage: 30A/220V  
2. Only high-frequency card insert into it can get power/frequency: 13.56 MHz  
3. other card is useless on it  
6. Plastics: PC - Box: 6 set - Carton: 60 set  
Size: 86mm × 86mm



### S300

Come from the German that has long civilization and forerunner science and technology



#### S300GZ/S

238.000 VND

Schuko Socket

- 1. 16A/250VAC--50/60Hz
- 2. Copper Class: Phosphor Bronze
- 3. Toggle: 10,000 times
- 4. Working Temperature: -20°C ~ 70°C,
- 5. Plastics: PC - Box: 10 set - Carton: 100 set
- Size: 86mm x 86mm



#### S300-KZ13/N

242.000 VND

1 gang switch with 3 pin universal socket

- 1. 16A/250VAC--50/60Hz
- 2. Copper Class: Phosphor Bronze
- 3. Toggle: 10,000 times
- 4. Working Temperature: -20°C ~ 70°C,
- 5. Plastics: PC - Box: 10 set - Carton: 100 set
- Size: 86mm x 86mm




#### S300-A/S

528.000 VND

Step light

- 1. It is a light with sensor which you can install in the stair or corridor.
- 2. This light is influenced by the ambient light sense, and it will automatically sense the ambient light sense to decide whether to turn it on or not.
- 3. Plastics: PC - Box: 10 set - Carton: 100 set
- Size: 86mm x 86mm



#### S300-2KZ13/N

471.000 VND

Double 3 pin universal socket with small switch

- 1. 16A/250VAC--50/60Hz
- 2. Copper Class: Phosphor Bronze
- 3. Toggle: 10,000 times
- 4. Working Temperature: -20°C ~ 70°C,
- 5. Plastics: PC - Box: 10 set - Carton: 100 set
- Size: 86mm x 86mm



#### S300-SZ12Z13/N USB

866.000 VND

5 pin universal socket with A+C double USB

- 1. 2.1A/ 5V USB Charging
- 2. 16A/ 250V Universal Socket
- 3. Plastics: PC - Box: 10 set - Carton: 100 set
- Size: 86mm x 86mm



#### UB1F/C

99.000 VND

Waterproof Box

- 1. Waterproof
- 2. Plastics: PC - Box: 1 set - carton: 200 set



#### UBBOX/A

27.000 VND

Cassee Box

- 1. Plastics: PC - Carton: 100 set
- Size: 85mm x 85mm x 50mm

# UTEN

Noble and elegant, a symbol of nobles;  
Fashionable and exquisite



# S400 Series

**S400** Come from the German that has long civilization and forerunner science and technology



**S400GK12** 145.000 VND  
1 Gang 2 Way Switch  
1. 10A/250VAC -- 50/60Hz  
2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu  
3. Switch Structure: Seesaw - Toggle: 40,000 times  
4. Working Temperature: -20°C ~ 70°C.  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**S400GK22** 178.000 VND  
2 Gang 2 Way Switch  
1. 10A/250VAC -- 50/60Hz  
2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu  
3. Switch Structure: Seesaw - Toggle: 40,000 times  
4. Working Temperature: -20°C ~ 70°C.  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**S400GK32** 211.000 VND  
3 Gang 2 Way Switch  
1. 10A/250VAC -- 50/60Hz  
2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu  
3. Switch Structure: Seesaw - Toggle: 40,000 times  
4. Working Temperature: -20°C ~ 70°C.  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**S400GK42** 246.000 VND  
4 Gang 2 Way Switch  
1. 10A/250VAC -- 50/60Hz  
2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu  
3. Switch Structure: Seesaw - Toggle: 40,000 times  
4. Working Temperature: -20°C ~ 70°C.  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**S400K11Z12Z13** 238.000 VND  
1 Gang 1 Way Switch  
5 Pole Multi Function Socket  
1. 16A/250VAC -- 50/60Hz  
2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu  
3. Switch Structure: Seesaw - Switch Toggle: 40,000 times/Socket Toggle: 10,000 times  
4. Working Temperature: -20°C ~ 70°C.  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**S400G-1G/M** 152.000 VND  
Door Bell Switch  
1. 10A/250VAC -- 50/60Hz  
2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu  
3. Switch Structure: Seesaw - Switch Toggle: 40,000 times/Socket Toggle: 10,000 times  
4. Working Temperature: -20°C ~ 70°C.  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**S400GK13** 240.000 VND  
1 Gang Multi Control Switch  
1. 10A/250VAC -- 50/60Hz  
2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu  
3. Switch Structure: Seesaw - Toggle: 40,000 times  
4. Working Temperature: -20°C ~ 70°C.  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**S400GK23** 373.000 VND  
2 Gang Multi Control Switch  
1. 10A/250VAC -- 50/60Hz  
2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu  
3. Switch Structure: Seesaw - Toggle: 40,000 times  
4. Working Temperature: -20°C ~ 70°C.  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**S400GZ13/2NU** 683.000 VND  
USB Charging & Universal Socket  
1. 2.1A/ 5V USB Charging  
2. 16A/ 250V Universal Socket  
3. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**S400GZ12Z13/N** 183.000 VND  
5 Pole Multi Function Socket  
1. 16A/250VAC -- 50/60Hz  
2. Copper Class: Phosphor Bronze  
3. Toggle: 10,000 times  
4. Working Temperature: -20°C ~ 70°C.  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**S400G-1TEL** 189.000 VND  
1 Telephone Socket  
1. Temperature: -20 ~ 70°C  
2. Insertion Resistance: ≥ 500mΩ  
3. Electrical Specification: ELA/TIABI  
4. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**S400G-2TEL** 230.000 VND  
2 Telephone Socket  
1. Temperature: -20 ~ 70°C  
2. Insertion Resistance: ≥ 500mΩ  
3. Electrical Specification: ELA/TIABI  
4. Connection Mode: T568A, T568B  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**S400G-1TV** 189.000 VND  
1 Tivi Socket  
1. Impedance: 75 Ω  
2. Insertion Loss: VHF < 3.5dB  
UHF < 5dB, Flatness in band ±1.0 dB  
3. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**S400-2TV** 230.000 VND  
2 Tivi Socket  
1. Impedance: 75 Ω  
2. Insertion Loss: VHF < 3.5dB  
UHF < 5dB, Flatness in band ±1.0 dB  
3. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**S400G-1PC** 255.000 VND  
1 Computer Socket  
1. Temperature: -20 ~ 70°C  
2. Insertion Resistance: ≥ 500mΩ  
3. Electrical Specification: ELA/TIABI  
4. Connection Mode: T568A, T568B  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**S400G-2PC** 345.000 VND  
2 Computer Socket  
1. Temperature: -20 ~ 70°C  
2. Insertion Resistance: ≥ 500mΩ  
3. Electrical Specification: ELA/TIABI  
4. Connection Mode: T568A, T568B  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**S400-TVTEL** 230.000 VND  
Tivi & Computer Socket  
1. Impedance: 75 Ω  
2. Insertion Loss: VHF < 3.5dB  
UHF < 5dB, Flatness in band ±1.0 dB  
1. Temperature: -20 ~ 70°C  
2. Insertion Resistance: ≥ 500mΩ  
3. Electrical Specification: ELA/TIABI  
4. Connection Mode: T568A, T568B  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**S400-TVPC** 299.000 VND  
Tivi & Computer Socket  
TV:  
1. Impedance: 75 Ω  
2. Insertion Loss: VHF3.5dB  
UHF < 5dB, Flatness in band ±1.0 dB  
3. Plastics: PC - Box: 10 set - Carton: 100 set  
COMPUTER:  
1. Temperature: -20 ~ 70°C  
2. Insertion Resistance: ≥ 500mΩ  
3. Electrical Specification: ELA/TIABI  
4. Connection Mode: T568A, T568B  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**S400-TELPC** 299.000 VND  
Telephone & Computer Socket  
Telephone:  
1. Temperature: -20 ~ 70°C  
2. Insertion Resistance: ≥ 500mΩ  
3. Electrical Specification: ELA/TIABI  
1. Temperature: -20 ~ 70°C  
2. Insertion Resistance: ≥ 500mΩ  
3. Electrical Specification: ELA/TIABI  
4. Connection Mode: T568A, T568B  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**S400-M/D** 119.000 VND  
Blank Panel  
1. Blank Panel 2 2  
2. Plastics: PC - Box: 0 set - Carton: 00 set  
Size: 86mm x 86mm

**S400** Come from the German that has long civilization and forerunner science and technology



**S400GK20A** 367.000 VND  
20A Switch  
1. 20A/250VAC -- 50/60Hz  
2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu  
3. Switch Structure: Seesaw - Toggle: 10,000 times  
4. Working Temperature: -20°C ~ 70°C.  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**S400GK45A** 445.000 VND  
45A Switch  
1. 45A/250VAC -- 50/60Hz  
2. Contact Point: Silver 0.35mm - Purple Copper: 65% Cu  
3. Switch Structure: Seesaw - Toggle: 10,000 times  
4. Working Temperature: -20°C ~ 70°C.  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**S400ZDC** 1.241.000 VND  
Shaver Charging Socket  
1. 10A ~ 16A  
2. Load Power: 1100 ~ 2400W  
3. Working Voltage: 110V ~ 220V  
4. Plastics: PC - Box: 6 set - Carton: 60 set  
Size: 86mm x 86mm



**S400-1D/G** 346.000 VND  
Dimmer Control Switch  
1. Working Voltage: 220V ~ 50Hz  
2. Maximum load power: 500W  
3. Minimum Starting Voltage: 13~35V  
4. Only for filament Lamp  
5. Plastics: PC - Box: 6 set - Carton: 60 set  
Size: 86mm x 86mm



**S400-3G/ML** 761.000 VND  
Don't Disturb & Please Clean & Door bell Switch  
1. Working Voltage: 220V ~ 50Hz  
2. No less than 500 MΩ  
3. Maximum load power 5A  
4. Plastics: PC - Box: 8 set - Carton: 80 set  
Size: 86mm x 86mm



**S400G-1D/S** 346.000 VND  
Speed Control Switch  
1. Working Voltage: 220V ~ 50Hz  
2. Load Power: 25 ~ 300W  
3. Minimum Starting Voltage: 90~110V  
4. Load can be connected: Ceiling fan  
5. Never connect the zero line  
6. Plastics: PC - Box: 6 set - Carton: 60 set  
Size: 86mm x 86mm



**S400DPGK22** 367.000 VND  
2 Gang Switch & Please Clean & Do not Disturb  
1. Working Voltage: 16A/250V  
2.1 Gang Please Clean Switch  
3.1 Gang Do not Disturb Switch  
4. Glass - box: 10 sets - Carton: 100 sets  
5. Size: 86mm x 86mm



**S400-1D/H** 562.000 VND  
Human Body Sensor Switch  
1. Working Voltage: 220V ~ 50Hz  
2. Load Power: Filament lamp 400W, fluorescent lamp, Electronic fluorescent lamp 200W  
3. Delay time: 30 ~ 40s  
4. Static Power: < 0.6W  
5. Light sensitive environment: Daybreak/Nightfall/Evening  
6. Range: Label angle 120°C  
7. Plastics: PC - Box: 8 set - Carton: 80 set  
Size: 86mm x 86mm



**S400G-1D/J** 786.000 VND  
Insert Card for Power On  
1. Working Voltage: 30A/220V  
2. Plastics: PC - Box: 6 set - Carton: 60 set  
Size: 86mm x 86mm



**S400G-1D/JG** 1.129.000 VND  
Insert Card for Power On(High frequency)  
1. Working Voltage: 30A/220V  
2. Only high-frequency card insert into it can get power/frequency: 13.56 MHz  
3. other card is useless on it  
6. Plastics: PC - Box: 6 set - Carton: 60 set  
Size: 86mm x 86mm



**S400GZ/S** 238.000 VND  
Schuko Socket  
1. 1.16A/250VAC -- 50/60Hz  
2. Copper Class: Phosphor Bronze  
3. Toggle: 10,000 times  
4. Working Temperature: -20°C ~ 70°C.  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**S400-KZ13/N** 242.000 VND  
5 Pole Multi Function Socket  
1. 1.16A/250VAC -- 50/60Hz  
2. Copper Class: Phosphor Bronze  
3. Toggle: 10,000 times  
4. Working Temperature: -20°C ~ 70°C.  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**S400-A/S** 528.000 VND  
Step light  
1. It is a light with sensor which you can install in the stair or corridor.  
2. This light is influenced by the ambient light sense, and it will automatically sense the ambient light sense to decide whether to turn it on or not.  
3. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**S400-2KZ13/N** 471.000 VND  
5 Pole Multi Function Socket  
1. 1.16A/250VAC -- 50/60Hz  
2. Copper Class: Phosphor Bronze  
3. Toggle: 10,000 times  
4. Working Temperature: -20°C ~ 70°C.  
5. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**S400-SZ12Z13/N USB** 866.000 VND  
5 pin universal socket with A+C double USB  
1. 2.1A/ 5V USB Charging  
2. 16A/ 250V Universal Socket  
3. Plastics: PC - Box: 10 set - Carton: 100 set  
Size: 86mm x 86mm



**UB1F/C** 99.000 VND  
Waterproof Box  
1. Waterproof  
2. Plastics: PC - Box: 1 set - carton: 200 set



**UBBOX/A** 27.000 VND  
Cassee Box  
1. Plastics: PC - Carton: 100 set  
Size: 85mm x 85mm x 50mm



# Z9 Series



**UTEN**

Noble and elegant, a symbol of nobles;  
Fashionable and exquisite

**Color: Gold - Gray**

**Z9** Come from the German that has long civilization and forerunner science and technology



**Z9GK12** 473.000 VND  
1 Gang 2 Way Switch LED  
1.10A/250VAC- 50/60Hz  
2.Contact Point: Silver 0.35mm- Purple Copper:65% Cu  
3.Switch Structure:Seesaw- Switch Toggle:40,000 times  
4.Working Temperature:-20°C~70°C  
5.Glass- box:10 sets- Carton:100 sets  
6.Size:86mm×86mm



**Z9GK22** 680.000 VND  
2 Gang 2 Way Switch LED  
1.10A/250VAC- 50/60Hz  
2.Contact Point: Silver 0.35mm- Purple Copper:65% Cu  
3.Switch Structure:Seesaw- Switch Toggle:40,000 times  
4.Working Temperature:-20°C~70°C  
5.Glass- box:10 sets- Carton:100 sets  
6.Size:86mm×86mm



**Z9GK32** 888.000 VND  
3 Gang 2 Way Switch LED  
1.10A/250VAC- 50/60Hz  
2.Contact Point: Silver 0.35mm- Purple Copper:65% Cu  
3.Switch Structure:Seesaw- Switch Toggle:40,000 times  
4.Working Temperature:-20°C~70°C  
5.Glass- box:10 sets- Carton:100 sets  
6.Size:86mm×86mm



**Z9GK42** 1.108.000 VND  
4 Gang 2 Way Switch LED  
1.10A/250VAC- 50/60Hz  
2.Contact Point: Silver 0.35mm- Purple Copper:65% Cu  
3.Switch Structure:Seesaw- Switch Toggle:40,000 times  
4.Working Temperature:-20°C~70°C  
5.Glass- box:10 sets- Carton:100 sets  
6.Size:86mm×86mm



**Z9MD** 427.000 VND  
Blank Panel  
1.Blank Panel  
2.Glass-box:20 sets- Carton:200 sets  
4.Size:86mm×86mm



**Z9G-1GM** 491.000 VND  
Door Bell Switch LED  
1.10A/250VAC- 50/60Hz  
2.Contact Point: Silver 0.35mm- Purple Copper:65% Cu  
3.Switch Structure:Seesaw- Switch Toggle:40,000 times  
4.Working Temperature:-20°C~70°C  
5.Glass- box:10 sets- Carton:100 sets  
6.Size:86mm×86mm



**Z9GK13** 674.000 VND  
1 Gang Multi Control Switch LED  
1.10A/250VAC- 50/60Hz  
2.Contact Point: Silver 0.35mm- Purple Copper:65% Cu  
3.Switch Structure:Seesaw- Switch Toggle:40,000 times  
4.Working Temperature:-20°C~70°C  
5.Glass- box:10 sets- Carton:100 sets  
6.Size:86mm×86mm



**Z9GK23** 922.000 VND  
2 Gang Multi Control Switch LED  
1.10A/250VAC- 50/60Hz  
2.Contact Point: Silver 0.35mm- Purple Copper:65% Cu  
3.Switch Structure:Seesaw- Switch Toggle:40,000 times  
4.Working Temperature:-20°C~70°C  
5.Glass- box:10 sets- Carton:100 sets  
6.Size:86mm×86mm



**Z9GK20A** 796.000 VND  
20A Switch  
1.20A/250VAC- 50/60Hz  
2.Contact Point: Silver 0.35mm- Purple Copper:65% Cu  
3.Switch Structure:Seesaw- Switch Toggle:40,000 times  
4.Working Temperature:-20°C~70°C  
5.Glass- box:10 sets- Carton:100 sets  
6.Size:86mm×86mm



**Z9GK45A** 930.000 VND  
45A Switch  
1.45A/250VAC- 50/60Hz  
2.Contact Point: Silver 0.35mm- Purple Copper:65% Cu  
3.Switch Structure:Seesaw- Switch Toggle:40,000 times  
4.Working Temperature:-20°C~70°C  
5.Glass- box:10 sets- Carton:100 sets  
6.Size:86mm×86mm

**Z9** Come from the German that has long civilization and forerunner science and technology



**Z9GZ/S** 828.000 VND  
Schuko Socket  
1.16A /250VAC- 50/60Hz  
2.Copper Class:Phosphor Bronze  
3.Toggle:10,000 times  
4.Working Temperature:-20°C ~ 70°C  
5.Glass- box:10 sets- Carton:100 sets  
6.Size:86mm×86mm



**Z9GZ12Z13/N** 609.000 VND  
5 Pole Multi Function Socket  
1.16A /250VAC- 50/60Hz  
2.Copper Class:Phosphor Bronze  
3.Toggle:10,000 times  
4.Working Temperature:-20°C ~ 70°C  
5.Glass- box:10 sets- Carton:100 sets  
6.Size:86mm×86mm



**Z9GKZ12Z13/N** 818.000 VND  
5 Pole Multi Function Socket With Switch  
1.16A /250VAC- 50/60Hz  
2.Copper Class:Phosphor Bronze  
3.Switch Structure:Seesaw- Switch Toggle:40,000 times/ Socket Toggle:10,000 times  
4.Working Temperature:-20°C ~ 70°C  
5.Glass- box:10 sets- Carton:100 sets  
6.Size:86mm×86mm



**Z9GZ13/2NU** 1.776.000 VND  
3 Pole Universal Socket with Double USB  
1.2.1A/5V USB Charging  
2.16A/250V Universal Socket  
3.Glass- box:10 sets- Carton:100 sets  
4.Size:86mm×86mm



**Z9G-2TEL** 805.000 VND  
2 Telephone Socket  
1.Working Temperature:-20°C ~ 70°C  
2.Insertion Resistance:≥500mΩ  
3.Electrical Specification:ELA/TIABI  
4.Glass- box:10 sets- Carton:100 sets  
5.Size:86mm×86mm



**Z9G-1TEL** 620.000 VND  
1 Telephone Socket  
1.Working Temperature:-20°C ~ 70°C  
2.Insertion Resistance:≥500mΩ  
3.Electrical Specification:ELA/TIABI  
4.Glass- box:10 sets- Carton:100 sets  
Size:86mm×86mm



**Z9G-2TV** 805.000 VND  
2 TV Socket  
1.Lmpedance:75Ω  
2.Insertion Loss:VHF < 3.5dB, UHF < 5dB, Flatness in band ±1.0dB  
3.Glass- box:10 sets- Carton:100 sets  
4.Size:86mm×86mm



**Z9G-1TV** 620.000 VND  
1 TV Socket  
1.Lmpedance:75Ω  
2.Insertion Loss:VHF < 3.5dB, UHF < 5dB, Flatness in band ±1.0dB  
3.Glass- box:10 sets- Carton:100 sets  
4.Size:86mm×86mm



**Z9G-2PC** 1.060.000 VND  
2 Computer Socket  
1.Working Temperature:-20°C ~ 70°C  
2.Insertion Resistance:≥500mΩ  
3.Electrical Specification:ELA/TIABI  
4.Connection Mode: T568A,T568B  
5.Glass- box:10 sets- Carton:100 sets  
6.Size:86mm×86mm



**Z9G-1PC** 764.000 VND  
1 Computer Socket  
1.Working Temperature:-20°C ~ 70°C  
2.Insertion Resistance:≥500mΩ  
3.Electrical Specification:ELA/TIABI  
4.Connection Mode: T568A,T568B  
5.Glass- box:10 sets- Carton:100 sets  
6.Size:86mm×86mm



**Z9TVPC** 871.000 VND  
TV & Computer Socket  
TV:  
1.Lmpedance:75Ω  
2.Insertion Loss:VHF < 3.5dB, UHF < 5dB, Flatness in band ±1.0dB  
Computer:  
1.Working Temperature:-20°C ~ 70°C  
2.Insertion Resistance:≥500mΩ  
3.Electrical Specification:ELA/TIABI  
4.Connection Mode: T568A,T568B  
5.Glass- box:10 sets- Carton:100 sets  
6.Size:86mm×86mm



**Z9TELPC** 871.000 VND  
Telephone & Computer Socket  
Telephone Socket:  
1.Working Temperature:-20°C ~ 70°C  
2.Insertion Resistance:≥500mΩ  
3.Electrical Specification:ELA/TIABI  
Computer:  
1.Working Temperature:-20°C ~ 70°C  
2.Insertion Resistance:≥500mΩ  
3.Electrical Specification:ELA/TIABI  
4.Connection Mode: T568A,T568B  
5.Glass- box:10 sets- Carton:100 sets  
6.Size:86mm×86mm



**Z9G-1D/G** 990.000 VND  
Dimmer Control Switch  
1.Working Voltage:220V ~ 50Hz  
2.Maximum Load Power:500W  
3.Minimum Starting Voltage:13V ~ 35V  
4.Only for filament Lamp  
5.Glass- box:8 sets- Carton:80 sets  
6.Size:86mm×86mm



**Z9TVTEL** 764.000 VND  
TV & Telephone Socket  
TV:  
1.Lmpedance:75Ω  
2.Insertion Loss:VHF < 3.5dB, UHF < 5dB, Flatness in band ±1.0dB  
Telephone Socket:  
1.Working Temperature:-20°C ~ 70°C  
2.Insertion Resistance:≥500mΩ  
3.Electrical Specification:ELA/TIABI  
4.Glass- box:10 sets- Carton:100 sets  
5.Size:86mm×86mm



**Z9G-1D/S** 990.000 VND  
Speed Control Switch  
1.Working Voltage:220V ~ 50Hz  
2.Load Power:25 ~ 300W  
3.Minimum Starting Voltage:90V ~ 110V  
4.Load can be connected: Ceiling Fan  
5.Never connect the zero line  
6.Glass- box:8 sets- Carton:80 sets  
7.Size:86mm×86mm



**Z9ZDC** 3.152.000 VND  
Shaver Charging Socket  
1.10A ~ 16A  
2.Load Power:1100W ~ 2400W  
3.Working Voltage:110V ~ 220V  
4.Glass- box:7 sets- Carton:70 sets  
5.Size:86mm×86mm



**Z9DPGK22** 900.000 VND  
2 Gang Switch & Please Clean & Do not Disturb  
1.Working Voltage:16A/250V  
2.1 Gang Please Clean Switch  
3.1 Gang Do not Disturb Switch  
4.Glass- box:10 sets- Carton:100 sets  
5.Size:86mm×86mm



**Z9G-3G/ML** 1.865.000 VND  
Don't Disturb & Please Clean & Door bell Switch  
1.Working Voltage:220V ~ 50Hz  
2.No Less than 500mΩ  
3.Maximum Load Power:5A  
5.Glass- box:8 sets- Carton:80 sets  
6.Size:86mm×86mm



**Z9G-1D/J** 3.088.000 VND  
Insert Card for Power On  
1.Working Voltage:30A/220V  
2.Glass- box:10 sets- Carton:100 sets



**Z9K12Z13/N** 840.000 VND  
1 Gang 2 Way Switch  
3 Pole Multi Function Socket  
1.16A/250VAC -- 50/60Hz  
2.Contact Point: Silver 0.35mm - Purple Copper: 65% Cu  
3.Switch Structure: Seesaw - Switch Toggle: 40,000 times/Socket Toggle: 10,000 times  
4.Working Temperature: -20°C ~ 70°C  
5.Plastics: PC - Box: 10 set - Carton: 100 set  
Size:86mm × 86mm

**Z9G-1D/JG** 3.776.000 VND  
Insert Card for Power On(High frequency)  
1.Working Voltage:30A/220V  
2.Only High-Frequency card insert into it can get power/Frequency:13.56MHz  
3.Other Card is useless on it  
4.Glass- box:8 sets- Carton:80 sets  
5.Size:86mm×86mm



**SHC - 2Z13/N** 1.353.000 VND

Floor Socket  
& Pole Multi Function Socket

1. 16A/250V Floor Socket
2. 2x3 Pole multi Function Socket
3. Plastics: PC - Box: 1 set - Carton: 20 set



**SHC - 2Z13/N** 1.353.000 VND

Floor Socket  
& Pole Multi Function Socket

1. 16A/250V Table Socket
2. 2x3 Pole multi Function Socket
3. Plastics: PC - Box: 1 set - Carton: 20 set



**SZ12/TEL/PC** 1.353.000 VND

Floor Socket  
& Pole Multi Function Socket

1. 16A/250V Floor Socket
2. 2x3 Pole multi Function Socket
3. Plastics: PC - Box: 1 set - Carton: 20 set



**S-Z12/TEL/PC** 1.353.000 VND

Floor Socket  
2 Pole Socket  
& TEL Socket & PC Socket

1. 2 Pole Socket
2. TEL Socket
3. PC Socket
4. Plastics: PC - Box: 1 set - Carton: 20 set



**S-TEL/PC** 1.353.000 VND

Floor Socket  
& TEL Socket  
& PC Socket

1. TEL Socket
2. PC Socket
3. Plastics: PC - Box: 1 set - Carton: 20 set



**S-Z13/PC** 1.353.000 VND

Floor Socket  
& Pole Multi Function Socket  
& PC Socket

1. 16A/250V Floor Socket
2. Pole multi Function Socket
3. PC Socket
4. Plastics: PC - Box: 1 set - Carton: 20 set



**S-2Z13/N** 1.353.000 VND

Floor Socket  
& Pole Multi Function Socket

1. 16A/250V Table Socket
2. 2x3 Pole multi Function Socket
3. Plastics: PC - Box: 1 set - Carton: 20 set



**S-2Z13/N** 1.353.000 VND

Floor Socket  
& Pole Multi Function Socket

1. 16A/250V Table Socket
2. 2x3 Pole multi Function Socket
3. Plastics: PC - Box: 1 set - Carton: 20 set



**S-Z13/USB** 1.650.000 VND

Floor Socket  
USB Charging  
& Pole Multi Function Socket

1. 1A/5V USB Charging
2. 16A/250V Table Socket
3. Pole multi Function Socket
4. Plastics: TC - Box: 1 set - Carton: 20 set



**S-Z13/USB** 1.650.000 VND

Floor Socket  
USB Charging  
& Pole Multi Function Socket

1. 1A/5V USB Charging
2. 16A/250V Table Socket
3. Pole multi Function Socket
4. Plastics: TC - Box: 1 set - Carton: 20 set



**UTEN**

Noble and elegant, a symbol of nobles;  
Fashionable and exquisite



**M5-A104T** 479.000<sup>VND</sup>  
 Circuit Breakers Box, 2P - 4P  
 1. Size: 140x170x15,5 (mm) Cut: 118x150x90(mm)  
 2. Material: ABS fireproof plastic, transparent window  
 3. Box is Powder coated metal

**M5-A107T** 825.000<sup>VND</sup>  
 Circuit Breakers Box, 5P - 7P  
 1. Size: 224x240x15,5 (mm) Cut: 202x210x90(mm)  
 2. Material: ABS fireproof plastic, transparent window  
 3. Box is Powder coated metal

**M5-A110T** 974.000<sup>VND</sup>  
 Circuit Breakers Box, 8P - 10P  
 1. Size: 278x240x15,5 (mm) Cut: 256x210x90(mm)  
 2. Material: ABS fireproof plastic, transparent window  
 3. Box is Powder coated metal

**M5-A112T** 1.078.000<sup>VND</sup>  
 Circuit Breakers Box, 10P - 12P  
 1. Size: 316x240x15,5 (mm) Cut: 292x210x90(mm)  
 2. Material: ABS fireproof plastic, transparent window  
 3. Box is Powder coated metal

**M5-A115T** 1.095.000<sup>VND</sup>  
 Circuit Breakers Box, 13P - 15P  
 1. Size: 370x240x15,5 (mm) Cut: 346x220x90(mm)  
 2. Material: ABS fireproof plastic, transparent window  
 3. Box is Powder coated metal

**M5-A118T** 1.265.000<sup>VND</sup>  
 Circuit Breakers Box, 16P - 18P  
 1. Size: 424x260x15,5 (mm) Cut: 400x220x90(mm)  
 2. Material: ABS fireproof plastic, transparent window  
 3. Box is Powder coated metal

**M5-A224T** 2.855.000<sup>VND</sup>  
 Circuit Breakers Box, 20P - 24P  
 1. Size: 335x460x19 (mm) Cut: 305x420x90(mm)  
 2. Material: ABS fireproof plastic, transparent window  
 3. Box is Powder coated metal

**M5-A104M** 479.000<sup>VND</sup>  
 Circuit Breakers Box, 2P - 4P  
 1. Size: 140x170x15,5 (mm) Cut: 118x150x90(mm)  
 2. Material: ABS fireproof plastic, coated window  
 3. Box is Powder coated metal

**M5-A107M** 825.000<sup>VND</sup>  
 Circuit Breakers Box, 5P - 7P  
 1. Size: 224x240x15,5 (mm) Cut: 202x210x90(mm)  
 2. Material: ABS fireproof plastic, coated window  
 3. Box is Powder coated metal

**M5-A110M** 974.000<sup>VND</sup>  
 Circuit Breakers Box, 8P - 10P  
 1. Size: 278x240x15,5 (mm) Cut: 256x210x90(mm)  
 2. Material: ABS fireproof plastic, coated window  
 3. Box is Powder coated metal

**M5-A112M** 1.078.000<sup>VND</sup>  
 Circuit Breakers Box, 10P - 12P  
 1. Size: 316x240x15,5 (mm) Cut: 292x210x90(mm)  
 2. Material: ABS fireproof plastic, coated window  
 3. Box is Powder coated metal

**M5-A115M** 1.095.000<sup>VND</sup>  
 Circuit Breakers Box, 13P - 15P  
 1. Size: 370x240x15,5 (mm) Cut: 346x220x90(mm)  
 2. Material: ABS fireproof plastic, coated window  
 3. Box is Powder coated metal

**M5-A118M** 1.265.000<sup>VND</sup>  
 Circuit Breakers Box, 16P - 18P  
 1. Size: 424x260x15,5 (mm) Cut: 400x220x90(mm)  
 2. Material: ABS fireproof plastic, coated window  
 3. Box is Powder coated metal

**M5-A224M** 2.855.000<sup>VND</sup>  
 Circuit Breakers Box, 20P - 24P  
 1. Size: 335x460x19 (mm) Cut: 305x420x90(mm)  
 2. Material: ABS fireproof plastic, coated window  
 3. Box is Powder coated metal

**MCB 1P 6kA 400V C curve**


Code	I <sub>n</sub>	Price
N8BH1P10A	10A	135.000 <sup>VND</sup>
N8BH1P16A	16A	135.000 <sup>VND</sup>
N8BH1P20A	20A	135.000 <sup>VND</sup>
N8BH1P25A	25A	135.000 <sup>VND</sup>
N8BH1P32A	32A	135.000 <sup>VND</sup>
N8BH1P40A	40A	201.000 <sup>VND</sup>
N8BH1P50A	50A	201.000 <sup>VND</sup>

**RCCB 10kA 30mA 240-415V AC type**


Code	I <sub>n</sub>	Price
N8LGM2P25A	25A	1.132.000 <sup>VND</sup>
N8LGM2P32A	32A	1.188.000 <sup>VND</sup>
N8LGM2P40A	40A	1.275.000 <sup>VND</sup>
N8LGM2P63A	63A	1.493.000 <sup>VND</sup>

**MCB 2P 6kA 400V C curve**


Code	I <sub>n</sub>	Price
N8BH2P20A	20A	416.000 <sup>VND</sup>
N8BH2P25A	25A	416.000 <sup>VND</sup>
N8BH2P32A	32A	416.000 <sup>VND</sup>
N8BH2P40A	40A	416.000 <sup>VND</sup>
N8BH2P50A	50A	721.000 <sup>VND</sup>
N8BH2P63A	63A	721.000 <sup>VND</sup>
<b>I<sub>cu</sub> = 10kA</b>		
N8GH2P80A	80A	1.331.000 <sup>VND</sup>

**RCBO 1P + N 6kA 30mA**


Code	I <sub>n</sub>	Price
SL6N1PN10A	10A	985.000 <sup>VND</sup>
SL6N1PN16A	16A	985.000 <sup>VND</sup>
SL6N1PN20A	20A	985.000 <sup>VND</sup>
SL6N1PN25A	25A	985.000 <sup>VND</sup>
SL6N1PN32A	32A	985.000 <sup>VND</sup>
SL6N1PN40A	40A	985.000 <sup>VND</sup>
SL6N1PN50A	50A	985.000 <sup>VND</sup>
SL6N1PN63A	63A	985.000 <sup>VND</sup>

**MCB 3P 6kA 230/400V C curve**


Code	I <sub>n</sub>	Price
N8BH3P25A	25A	1.001.000 <sup>VND</sup>
N8BH3P32A	32A	1.001.000 <sup>VND</sup>
N8BH3P40A	40A	1.120.000 <sup>VND</sup>
N8BH3P50A	50A	1.120.000 <sup>VND</sup>
N8BH3P63A	63A	1.120.000 <sup>VND</sup>
<b>I<sub>cu</sub> = 10kA</b>		
N8GH3P80A	80A	2.217.000 <sup>VND</sup>
N8GH3P100A	100A	2.217.000 <sup>VND</sup>

**MCCB 3P 25kA 410/415V**


Code	I <sub>n</sub>	Price
EM125N3P25A	25A	2.375.000 <sup>VND</sup>
EM125N3P32A	32A	2.375.000 <sup>VND</sup>
EM125N3P40A	40A	2.375.000 <sup>VND</sup>
EM125N3P50A	50A	2.375.000 <sup>VND</sup>
EM125N3P63A	63A	2.375.000 <sup>VND</sup>
EM125N3P80A	80A	2.375.000 <sup>VND</sup>
EM125N3P100A	100A	2.375.000 <sup>VND</sup>
EM125N3P125A	125A	2.683.000 <sup>VND</sup>

**MCCB 1P + N 1.5kA 230V**


Code	I <sub>n</sub>	Price
BS60 1P+N10A	10A	88.000 <sup>VND</sup>
BS60 1P+N15A	15A	88.000 <sup>VND</sup>
BS60 1P+N20A	20A	88.000 <sup>VND</sup>
BS60 1P+N30A	30A	88.000 <sup>VND</sup>
BS60 1P+N40A	40A	88.000 <sup>VND</sup>

**RCBO 1P + N 1.5kA 230V AC**


Code	I <sub>n</sub>	Price
BS60L 1P+N15A	15A AC	538.000 <sup>VND</sup>
BS60L 1P+N20A	20A AC	538.000 <sup>VND</sup>
BS60L 1P+N30A	30A AC	538.000 <sup>VND</sup>

## LED CHIP: OSRAM - GERMANY



Model	Dimension(mm)	Cut out(mm)	Power	Luminous flux	Packing (mm)
L02211-6A	Φ110x36	Φ75	6W	480lm	50 pcs/CTN
L02212-8A	Φ120x36	Φ90	8W	640lm	50 pcs/CTN
L02212-10A	Φ120x36	Φ90	10W	800lm	50 pcs/CTN
L02213-12A	Φ140x36	Φ110	12W	960lm	40 pcs/CTN
L02213-15A	Φ140x36	Φ110	15W	1200lm	40 pcs/CTN

### Structure and characteristics

#### 1 Optics


- High quality diuser ensures high light transmittance and even light output
- Light outlet angle 110°

#### 2 Light source

- International famous branded SMD chip
- High CRI and lumen output, Good color saturation and delity

#### 3 Driver

- External constant current driver
- Conforming to LVD and EMC



#### 4 Lamp body

- High quality Ineegrated die-cast design heatsink
- Excellent appearance and heat dissipation

### Applications:

Hotel, club, supermarket, store, office ,residential, commercial and etc.

### Product Features:

- 1.Quality famous branded LED SMD chip, high luminous efficiency , CRI>90, lower thermal diffusivity to provide uniform & comfortable light layout.
- 2.Patented appearance design. High quality aluminum heat sink to ensure ingenious shape and increase heat dissipation space.
- 3.High quality imported acrylic diffuser to achieve uniform light and high lumen.
- 4.High quality isolated constant current driver fixed on housing to ensure efficient installation.
- 5.Dimensions range from 2.5"-8", Powers ranging from 8W-40W.
- 6.Lifespan up to 65,000 hours, 3/5 years warranty.

## LED CHIP: OSRAM - GERMANY



### L02211-6A Power : 6W



3000K - 4000K - 6500K  
3 STEP CCT TURNABLE

468.000 VND

545.000 VND

Input: AC 220V-240V / 50-60Hz  
Material: Aluminum  
Color: white powder coating

### L02212-8A Power : 8W



3000K - 4000K - 6500K  
3 STEP CCT TURNABLE

578.000 VND

655.000 VND

Input: AC 220V-240V / 50-60Hz  
Material: Aluminum  
Color: white powder coating

### L02212-10A Power : 10W



3000K - 4000K - 6500K  
3 STEP CCT TURNABLE

622.000 VND

688.000 VND

Input: AC 220V-240V / 50-60Hz  
Material: Aluminum  
Color: white powder coating

### L02213-12A Power : 12W



3000K - 4000K - 6500K  
3 STEP CCT TURNABLE

648.000 VND

743.000 VND

Input: AC 220V-240V / 50-60Hz  
Material: Aluminum  
Color: white powder coating

### L02213-15A Power : 15W



3000K - 4000K - 6500K  
3 STEP CCT TURNABLE

659.000 VND

781.000 VND

Input: AC 220V-240V / 50-60Hz  
Material: Aluminum  
Color: white powder coating